

# mod\_spin Reference Manual

## 1.0.12

Generated by Doxygen 1.5.3

Sun Sep 9 04:54:12 2007

## Contents

<a href="#">1 mod_spin Main Page</a>	1
<a href="#">2 mod_spin Module Index</a>	33
<a href="#">3 mod_spin Data Structure Index</a>	33
<a href="#">4 mod_spin File Index</a>	34
<a href="#">5 mod_spin Module Documentation</a>	34
<a href="#">6 mod_spin Data Structure Documentation</a>	63
<a href="#">7 mod_spin File Documentation</a>	67

## 1 mod\_spin Main Page

Copyright ©2003 - 2007 Bojan Smojver, Rexursive

### Introduction

#### See also:

[Installation News Licence](#)

Welcome to mod\_spin for Apache 2.x from Rexursive  
=====

mod\_spin is an Apache module that provides the following functionality (in conjunction with some other modules):

- a simple template language with data replacement capabilities only
- persistent application and session data tracking
- dynamic linking of applications into Apache 2 as shared libraries
- parameters, cookies and multipart/form-data parsing via libapreq2
- simple API for (kind of) MVC controller functionality
- simple API for pooled (or not) access to SQL databases

mod\_spin is written in C, just like Apache 2 itself and it uses APR, which was written to be cross platform, secure and perform well. Generally speaking, you should see speed improvements when compared to Java, PHP and Perl solutions, sometimes even by an order of magnitude.

This software exists to enable easy development and deployment of high performance web applications written in C (or perhaps even other languages) on Linux (or Unix) systems running Apache 2. It should be particularly easy to do that on the systems that run RPM packaging system, such as Fedora Core, Red Hat Enterprise Linux, CentOS and similar distributions. Obviously, other types of packages can be built too, but RPM support is already in mod\_spin.

How does mod\_spin work?  
=====

mod\_spin is essentially a content handler, meaning, for a specified file extension(s), mod\_spin will read the file, parse it into an Abstract Syntax

Tree (AST) and then replace the occurrences of references with values coming from the application (this is where mod\_spin is similar to Velocity). There is no predefined file extension for mod\_spin templates. I sometimes use ".sm" for "spin macro", but you can use whatever you like, as long as you tell Apache what that is.

At one point I was considering mod\_spin as an output filter, but eventually couldn't find enough justification to do so. The code would be much more complex and I wanted to keep things simple. One day, maybe...

The application, a shared library (or .so), is dynamically linked at run-time (i.e. when the request is handled by Apache) and its entry function is called. This function takes one argument, which is a structure containing the context (where the data to be replaced is stored), parsed parameters, session and application information and the current request. It then executes whatever code is appropriate for the current request, most likely based on the URI and the parameters (this completely depends on what the application actually does, of course). This execution results in data structures holding the values that are to be placed into the template. This data is then placed inside the template by traversing the AST and replacing references with values. The end result (a bucket brigade) is given to Apache output filters to push out into the world (and possibly modify the content as well).

Before the application entry function is called, mod\_spin takes care of application and session tracking (it relies on cookies for that). It does that in a persistent manner (i.e. the values associated with the application and session are stored in a file). SDBM database functionality, already included in APR, is used to provide hashed searches for values based on specified keys.

What are mod\_spin applications?  
=====

They are simply shared libraries. You would normally get those as a result of writing, compiling and linking a set C program files. You can, of course, get those as a result of compiling and linking some other language. Keep in mind that mod\_spin expects its data in a particular way. IF THAT'S NOT FOLLOWED, MANY THINGS WILL BREAK AND YOU MIGHT CAUSE SECURITY PROBLEMS ON YOUR SYSTEM.

That being said, mod\_spin applications are probably not for someone that isn't comfortable with application development in C. If you're looking for a scripting language, mod\_spin isn't it. Actually, one of the main reasons for writing mod\_spin was that I wanted full access to C Unix API but without the need to hammer (X)HTML out of my code. With mod\_spin you can keep your focus on business logic and forget presentation for the most part.

See section "Service function" for all the details related to the entry point into the application.

Why not CSP (C Server Pages)?  
=====

C Server Pages are an implementation similar to JSP (Java Server Pages), but unlike JSP, feature C language snippets, not Java, placed into HTML. Such page is then converted into a C program, compiled and then linked into a shared library, which is dynamically linked into Apache at run-time. In essence, it taps directly into the C run-time system, just like mod\_spin does. It is probably faster because it does no template processing.

However, just like JSP, it suffers from similar problems. The first one is a confusing mix of C programming language with HTML. This makes it completely unusable (on the presentation level) by non-experts, even if trivial changes to the page are required (i.e. a spelling fix can cause serious functionality problems, even security violations), not to mention that the mixed code is truly unreadable. The second one is the "translate -> compile -> link -> dynamic link -> run" process, which creates further complications and opens up the possibilities for strange run-time errors. And finally, a full C development environment has to be installed on the system running CSP, in case

any of the pages ever get changed. These arguments are more or less the same as the one when a template language such as Velocity is compared to JSP.

mod\_spin avoids the above by defining a simple, data replacement only template language and leaves all of the programming logic where it belongs - in the application. At the same time, the application behaves mostly (but not completely) neutral as far as presentation of data is concerned. It is almost irrelevant what the output is going to look like, so most of the time programmers are only busy working on functionality, not looks.

The above arguments, however, don't cut it for everyone (as I have observed in my encounters with other developers), so if you're one of those, mod\_spin is probably not for you.

#### Security concerns =====

Just like anything else written in C, if you aren't careful, you can shoot yourself in the foot quite effectively. Buffer overflows and similar problems can, however, be avoided if problematic functions aren't used and good programming practices followed. mod\_spin makes heavy use of APR, which is an example of an API that was designed from the ground up to be secure.

Even if you're most careful, security problems can happen. It is therefore good to follow guidelines for secure Apache setup. In extreme circumstances (e.g. when you're allowing others to deploy their own applications into Apache running mod\_spin), IT IS ADVISABLE TO RUN A SEPARATE INSTANCE OF APACHE, BEHIND THE MAIN SERVER, WITH A SOLE PURPOSE OF RUNNING MOD\_SPIN APPLICATIONS. Virtual hosting for multiple clients is one of the examples where such a scenario might be effective. Applying chroot jail, SELinux and/or running different Apache instances under different user IDs on unprivileged ports will go a long way toward ensuring that even if someone breaks in, the potential for damage is minimal.

Here are some very important security implications that may arise from the use of mod\_spin. This is in relation to tracking of application and session data and to connection pools. To understand the issues involved, one needs to understand how Apache deals with multiple client connections. One also needs to understand Unix file permission model.

Apache will generally spin up numerous processes or threads in order to handle multiple connections from clients. There is no guarantee that a process/thread that handled one client's connection will handle it again in the future. The process/thread will be assigned at Apache's discretion. So, it is possible, even likely, that a process that handled something related to one client, handles another client next time. If there is anything in the memory space of this process/thread left over from the previous client, it will be completely accessible to the next client. Applications of mod\_spin, shared libraries, are linked directly into the running process and they have full access to the memory space of that process.

The above means that an application can fetch any previously opened connection from the pool of connections and use it at will. Depending on how this connection was opened in the first place (by the original client), this will enable reading and/or writing of data that otherwise might not be accessible. IT IS CLEAR THAT THIS IS A SERIOUS SECURITY IMPLICATION.

Generally speaking, you should make sure that mod\_spin applications linked into an instance of Apache are all from the same "security realm". For instance, if you're using mod\_spin to enable dynamic applications virtually hosted on a single server (machine) for your customers, allowing two different customers to deploy mod\_spin application into the same instance of Apache will allow them to read/write each other's databases. This might be accidental or, more seriously, intentional and malicious. YOU SHOULD ABSOLUTELY MAKE SURE THAT SUCH APPLICATIONS ARE DEPLOYED INTO DIFFERENT INSTANCES OF APACHE, RUNNING UNDER DIFFERENT USER ACCOUNTS!

The second problem is connected to this in terms of user accounts and access to files. Session and application data tracking files will be readable and writable by the user Apache processes run as (this is defined in the Apache configuration file). So, in the above scenario with two customers, they would be able to read/write each other's session/application files. Once again, YOU SHOULD ABSOLUTELY MAKE SURE THAT SUCH APPLICATIONS ARE DEPLOYED INTO DIFFERENT INSTANCES OF APACHE, RUNNING UNDER DIFFERENT USER ACCOUNTS!

General recommendation is: if you don't have full control over all applications and you're using session/application persistent store and/or connection pools, you should have separate instances of Apache for each identifiable "security realm".

#### Stability =====

If you ever wrote a C program, you know that one of the most dreadful things is the infamous Segmentation Fault (SIGSEGV, Signal 11). It happens when your program tries to dereference a memory location that is invalid, such as NULL. mod\_spin makes reasonable effort to ensure the raw data it handles (the template, session and application data, parameters, cookies etc.) is processed in a manner that produces no segfaults. As for the context, the data that your own application prepares, mod\_spin doesn't have any control over what's in there. It will take certain precautions against obvious stuff like NULL pointers, but some of the other errors might be complicated to detect and handle. And because mod\_spin is a small and lightweight piece of software, it doesn't do any of that. It simply relies on you (yes, that's YOU!) that the data placed in the context is going to be good.

If the data is not good, the code will segfault, bringing down with it the child Apache process inside which it was executing. This is not a big concern from Apache's point of view, as the parent process will fork as many new processes as it needs - however, your server might suffer a denial of service attack because of this. So, make your context data good!

Note that the above scenario is only applicable to the prefork Apache MPM. Other MPM modules might behave in a different way (i.e. more than one thread of Apache can be affected), so keep that in mind when deploying mod\_spin under those scenarios.

#### Memory leaks =====

Apache Portable Runtime uses memory pools for most memory allocation and mod\_spin naturally follows. It is a good and fast approach. However, some memory pools may have rather long life cycle (namely per-thread pool of mod\_spin and its sub-pools, used for parsed templates). Although the code of mod\_spin tries to avoid these long lasting pools whenever possible, it is sometimes unavoidable to have things put into them. Also, the connection pools will be associated with the per-thread pool. This can lead, over time and given huge number of requests or a lot of template changes, to small memory leaks.

That's why mod\_spin as of version 0.9.4 has a new configuration parameter SpinClearCount. After defined number of requests handled by the thread, the per-thread pool is destroyed, including all its sub-pools and database connections. This causes templates to be re-parsed and database connections to be reopened, which is a performance penalty, but it might be useful in some pathological corner cases.

#### Language constructs =====

The template language of mod\_spin has only three commands: a loop and two conditionals. They look like this:

```
#for(${reference})
    some text within the loop and a ${reference.column}
```

```
#end

#if({reference})
    some text to replace if ${reference} is not NULL
#else
    some text to replace if ${reference} is NULL
#end

#unless({reference})
    some text to replace if ${reference} is NULL
#else
    some text to replace if ${reference} is not NULL
#end
```

That's it. Everything else is the matter for the application, not the template language.

References, which are case sensitive, placed inside the text will be replaced with their values from the context or nothing if that value is NULL or the reference does not exist. References are never recursively substituted (this may create denial of service or security problems and it is therefore avoided). If such functionality is desired, it belongs in your application.

Data types and loops  
=====

You can place two different types of data in the context: single and rows.

Singles are simply character strings. They are pointed to by a `char*` and limited by the length. Generally, `mod_spin` does not rely on `'\0'` being present at the end of the string. However, regular C APIs mostly handle strings that have the ending `'\0'` character. Therefore, all single data, although being declared as `'size'` in length, actually gets a `'\0'` character at the end (naturally, the space for this character is allocated when the single is created). This is very useful when communicating with regular C APIs, as it saves a lot of copying and memory allocation. If you design your own functions that create single data, you MUST FOLLOW THIS CONVENTION OR YOU'RE SETTING YOURSELF UP FOR A WHOLE HEAP OF BUFFER OVERFLOWS!

Rows are data that looks a lot like something that would be returned from an SQL query: there are named columns and data contains certain number of rows. However, unlike what's returned by SQL queries (i.e. single pieces of data), each actual piece of data can again be either rows or single. This then enables nesting of multiple data dimensions. The nested `#for` loops are used to spin around such data. That's where the name `mod_spin` comes from.

Figure 1: Example data - Single

```
+-----+
| type | unsigned char: RXV_SPIN_DATA_SGL
+-----+
| size | size_t: number of characters in data
+-----+
| data | char* ---> | The actual data of size 'size' | '\0' |
+-----+
+-----+
```

Figure 2: Example data - Rows

```
+-----+
| type | unsigned char: RXV_SPIN_DATA_RWS
+-----+
| size | size_t: number of rows in each array pointed to by values of cols
+-----+
| cols | apr_hash_t* ---+
+-----+
|
+-----+
```

```

+-----+-----+
| key | value | rxv_spin_data_t* ---+
+-----+-----+
| key | value |                               |
+-----+-----+
| key | value | +-----+-----+-----+-----+
|               | | Array of rxv_spin_data_t structures 'size' long |
+-----+-----+
| key | value |
+-----+-----+
|
+----> char* ----> +-----+-----+
| zero terminated string |
+-----+-----+

```

The final data type that is replaced into the template is always single. `mod_spin` doesn't know how to replace full rows because the presentation would be undefined. That's why you have to use `#for` loops to spin around rows data type to place the singles contained there in their correct places inside the template.

The `#for` loop won't spin if the data it is supposed to process is `NULL`. This can happen if the appropriate data for the reference cannot be found in the context, or if the value of it is `NULL`. The same applies to actual references that are replaced into the template - if the end result is `NULL`, nothing is replaced.

Metadata  
=====

Some of the API calls, like `rxv_spin_meta_vstr()` and `rxv_spin_meta()` return a pointer to `rxv_spin_data_t` that has a type of `RXV_SPIN_DATA_MTA`, or metadata. This data type is never used in the AST and if it is passed into it, it might cause errors. Its only purpose is to facilitate the API itself by making sure lengths of data arrays are stored somewhere, so that the programmer using the API doesn't have to use separate variables to store them. API calls know how to handle metadata, so if you stick to those, you should be fine.

IMPORTANT: Placing metadata into AST can have unpredictable results.

Conditionals  
=====

The only other command in `mod_spin` apart from `#for` loop is the conditional, as shown above. Again, it looks like this:

```
#if (${reference})
    something if ${reference} is not NULL
#else
    something if ${reference} is NULL
#endif
```

or the negative variant:

```
#unless(${reference})
    something if ${reference} is NULL
#else
    something if ${reference} is not NULL
#end
```

You can also use:

```
#if({ref}) something #end
#if({ref}) something #else#end
#if({ref})#else something #end
```

and naturally:

```
#unless(${ref}) something #end
#unless(${ref}) something #else#end
#unless(${ref})#else something #end
```

Loops and impossible references  
=====

Normally, mod\_spin template will look something like this:

```
First text ${ref1}
#for(${ref2})
    replicate some other text and ${ref2.col1}
#end
```

The `${ref1}` will be replaced with the value found in the context, if the data it points to is a single, or nothing at all if the data it points to is of type rows. The `#for` loop will spin around `${ref2}` and replicate the enclosing text for all instances of data that `${ref2}` points to. The `${ref2.col1}` will be replaced with the current row value of the column "col1", if `${ref2}` happens to be a data type rows and `${ref2.col1}` resolves to a data type single for the current row.

Now let's examine an example where impossible references are used:

```
First text ${impossible.reference}
#for(${second.impossible.reference})
    replicate some other text and ${second.impossible.reference.column}
#end
```

The first reference `${impossible.reference}`, can never be found in the context because there is no `#for` loop to spin the data in `${impossible}` in order to find `${impossible.reference}`. So, when creating the AST, mod\_spin will simply ignore this reference. The reference used to spin the `#for` loop, `${second.impossible.reference}`, is also something that cannot exist, so mod\_spin will ignore the whole loop and never place any of it into AST.

Note that this is different from the first code snippet with, for instance, the value of `${ref2}` being NULL, or not existing at all. The parsed `#for` loop and the text it encloses will be placed into the AST, but it won't be replicated because there is no data to spin the loop around.

The above discussion applies to conditional statements as well. For instance:

```
First text ${impossible.reference}
#if(${second.impossible.reference})
    replicate some other text and ${second.impossible.reference.column}
#end
```

The above example would yield exactly the same output as the previous example with the `#for` loop. However, if you use the `#else`, then whatever is placed within it will be used. For instance:

```
First text ${impossible.reference}
#if(${second.impossible.reference})
    replicate some other text and ${second.impossible.reference.column}
#else
    this will always be in the output
#end
```

In the above example, the text placed between `#else` and `#end` will always be in the output, because the `#if` would never be true, given that the reference is impossible.

And one example for the `#unless`, the negative conditional:

```
#unless(${second.impossible.reference})
    replicate some other text and ${second.impossible.reference.column}
```



```
#end
```

The above will always end up in the output, because the reference is impossible.

```
Service function
=====
```

Service function is the entry function into your application. It is called BEFORE template processing, so it has the potential to change which template is going to be processed as well as to decline or do the processing completely.

The entry function (by default called `rxv_spin_service()`) takes one argument - the context. It returns an integer which is similar to what an Apache handler would return. The meaning is as follows:

OK: Everything was OK, continue with template processing. Note here that by manipulating filename field within the `request_rec` structure, you can change which template is to be processed. Make sure other fields (e.g. `finfo`) that are related to filename are properly updated as well.

REDIRECT (e.g. `HTTP_TEMPORARY_REDIRECT`): Any further processing should not be done as this request is going to be externally redirected. Note here that the application HAS TO set the "Location" header in `headers_out`. Failing that, the client will have problems.

DECLINED or DONE: The service function either decided it's not something this handler should do (DECLINED) or has done all the work on behalf of it (DONE). These are short-circuit return codes that will greatly affect Apache request processing, so be careful with them.

ANYTHING ELSE: This will result in an internal server error.

If `SpinApplication` isn't specified, the shared library will not be loaded at all, but the template will be processed as normal. However, there will be no data in the context and therefore none will be placed in the final output.

```
Loading of applications
=====
```

Early versions of `mod_spin` (up to and including 0.9.12) had a very primitive logic of loading applications (libraries, Dynamic Shared Objects, DSOs). On each request, the library would be loaded and then unloaded. For small libraries, this was almost acceptable, but for libraries that pulled in a lot of dependencies (i.e. other libraries), the performance penalty was severe (I've measured over 8 times performance degradation in some of the cases, but it could be even worse). To avoid that, a new system had to be implemented in 0.9.13.

First, some background. All loading of shared libraries is done using `apr_dso_load()` call from APR. On Linux (and some other Unix variants), this translates into `dlopen()` call, which gives back a handle to a loaded library. If a process attempts to open the same library again, the same handle will be given back and a reference count for that library will be increased. In a multi-threaded environment, this would mean that if multiple threads of execution attempt to open the same library, they would be given back the same handle and the reference count would be equal to the number of thread passes that opened the library. Since Apache 2 could be running in a multi-threaded configuration (e.g. worker MPM), it is very difficult to control when a library will be completely unloaded. Something like that would involve introduction of per-process read/write locks, the code would become much more complicated and bug-prone. Instead, new version of `mod_spin` relinquishes the control of unloading of libraries to Apache itself.

So, `mod_spin` 0.9.13 and above make sure that each thread keeps cache of loaded DSOs and that it opens a particular library only once. This is done to avoid

registering of a pool cleanup for each call to `apr_dso_load()`, which would quickly grow private thread pool. Once the new applications are deployed, in order to reliably reload them, the main Apache process has to be given `SIGUSR1` signal (i.e. a graceful restart has to be initiated), so that all child processes die and new ones replace them. This will ensure new applications are loaded across the board.

Note that if `SpinClearCount` other than zero is specified, the private thread pool will be cleaned after specified number of requests served by the thread. Each time the pool is cleaned, the `apr_dso_unload()` will be called through the pool cleanup functionality. However, `dlopen()` keeps reference count per process, so relying on this functionality for reloading of new applications is completely unreliable. The only reliable way is to gracefully restart Apache.

Maximum nesting depth  
=====

The combined nesting depth of `#for` and `#if/#unless` commands is limited to `RXV_SPIN_MAX_DEPTH`, as defined in `private.h`, which is currently 32. Why have such a limit and why is the limit so low?

The limit is there to make the code of `mod_spin` simple and fast and to avoid logic errors in templates caused by inadvertent use of deep nesting. The limit is low because templates that require nesting depth anywhere near this limit are doing something very, very wrong. The purpose of template language constructs is not to introduce programming logic (in the sense of solving the business problem the application is meant to solve), but to make simple presentation level choices depending on the data generated by the application. I cannot stress enough that ALL business logic should be in the application and application alone.

So, the whole thing is designed on purpose. You are not supposed to have a great variety of commands available in your template language, you should not be able to modify the data from within the template language and you should not give in to the temptation of fixing programming issues inside the template. In my experience, a few nesting levels in the template are quite sufficient for majority of the real world problems. The limit currently set is way above that.

However, if you find that this is not adequate for you, for whatever reason, feel free to modify `private.h` and recompile.

Presentation issues and the application  
=====

You'll find that some of the presentation level decisions will be done within your application as well (huh?). When given the choice of placing some presentation level logic into the application as compared to contaminating the template with business logic, I have chosen to go with the former. Cleverly designed application will have a separate part that makes data generated by business logic into a presentation friendly format. For instance, when (X)HTML pages are created, some characters, like `'''` and `'&'` have special meaning. Business logic won't bother itself with making sure those are escaped. However, the part of your application that makes sure presentation is nice, will. Another example is a list of items on the page that should have rows displayed in alternating colours (this particular problem can be solved by newer version of CSS, but the browsers that support that are still not in widespread use). Business logic, again, won't bother itself with that. Presentation "beautifier" will.

For instance, one might have a boilerplate API calls (similar to what `mod_spin` provides already, as indicated below) that adds columns to the rows data type with a sole purpose of marking certain things for the template to pick up. One such example would be to add a column `"firstrow"`, which would have all data `NULL`, except for the first row. Similar can be done for the last row. Again, similar can be done for alternating rows (odd/even).

Then the template can have:

```
#for(${rowsofdata})
  #if(${rowsofdata.firstrow})
    Output this only on the first row
  #end

  #unless(${rowsofdata.firstrow})
    Output this for all rows except for the first one
  #end

  #if(${rowsofdata.oddrow})
    Output this only on the odd row
  #else
    Output this only on the even row
  #end

  #unless(${rowsofdata.lastrow})
    Output this for all rows except for the last one
  #end

  #if(${rowsofdata.lastrow})
    Output this only on the last row
  #end
#end
```

These API calls would then fall into the "beautifier" category. Use your imagination to come up with more...

How do I include other templates?  
=====

I find that duplicating functionality is not a good thing. So, I tried to stay away from that. Apache already has mod\_include, which can be used as a filter or a handler and provides excellent support for inclusion of other files.

If the files that you're including are not dynamic (at least not very dynamic), you should even consider generating finished files beforehand, using some of the available replacement techniques, such as XSLT. This will be good for the performance of your web server. On my old 1 GHz Athlon system, I have benchmarked Apache 2 and it was capable of delivering around 2,500 static pages per second, each around 10 kB in size (that's 25 MB/s bandwidth). Tomcat behind Apache was able to deliver around 60 dynamic pages per second, of roughly the same size, on the same machine (that's 600 kB/s bandwidth). It is worth an effort to reduce what's dynamic to a minimum.

Template file size  
=====

With Apache 2.0.49 and the APR that comes with it, running on Fedora Core 1, apr\_off\_t, off\_t, apr\_size\_t and size\_t are all 32-bit integer values. That means that the maximum template size on this platform is 2 GB (I'm not sure what you'd use such large web pages for, but nevertheless). I'm guessing on 64-bit platforms those values would be 64-bit integers, which would make possible template size much, much larger, but I have not verified that.

Session and application tracking  
=====

The simplest way would be to use mod\_usertrack, which is part of Apache. This is in fact what mod\_spin, up to and including 1.0.4 did. However, the cookie generated this way is very predictable (it is simply a timestamp), so anyone could easily figure it out. That's why mod\_spin 1.0.5 and above uses a different approach. It relies on mod\_unique\_id to provide a unique session identifier, then it produces an MD5 hash of it, using the crypto salt. Both of these (unique id and the hash) are then served to the client in a cookie, usually called SpinSession. Only if both of these are returned back to the server correctly, will mod\_spin use this unique id as the session id.

Otherwise, the session simply won't exist. This should make both guessing of session identifiers and denials of service attacks caused by opening of fake sessions significantly more difficult.

As of mod\_spin 1.0.5, you must define SpinCookie configuration parameter, or the sessions won't be supported for that application at all.

Each session will have corresponding SDBM files (.dir and .pag) in the SpinWorkspace directory (if defined), named after the session id. Each application will have those as well, named \_\_app.dir and \_\_app.pag. There is nothing special about these files - they are simply a collection of key/value pairs. Through a simple API, you can get values for each key, either on the application level (i.e. shared among multiple sessions) or session level (i.e. private data).

Given those things are just files, the maintenance of stale sessions is easy. Simply define a cron job that goes around and kills whatever is older than you consider a valid session (i.e. has not been accessed for longer than defined). Note that directories for keeping application and session data are considered private (i.e. read/write by owner only) and they cannot be symlinks. The code of mod\_spin will refuse to use them if they are not. You also need to make sure that nothing but application and session data is stored in this directory. Otherwise, it may collide with application and session files.

Although basic concepts have been pinched from JSP/Servlet world, applications have a slightly different meaning in mod\_spin. Basically, whatever uses the same application database file falls under the "same application" umbrella. You can configure SpinWorkspace per server, virtual host, directory or location. So, applications can cross boundaries freely. Sessions are also following the same rule, so you can have multiple session private data for different definitions of SpinWorkspace.

#### Application configuration =====

Each application can (but doesn't have to) have a configuration file. The filename is specified via the SpinAppConfig run-time configuration directive. The file is regular XML and it looks like this:

```
<?xml version="1.0"?>
<!DOCTYPE spin [
  <!ELEMENT spin (prop*)>
  <!ELEMENT prop (#PCDATA)>
  <!ATTLIST prop name CDATA #REQUIRED>
]>
<spin>
  <prop name="spinparameter1">The value associated with spinparameter1</prop>
  <prop name="spinparameter2">The value associated with spinparameter2</prop>
</spin>
```

It is preferred to include the DTD in the document (it is only small) in order to avoid parsing problems.

The configuration is loaded and reloaded automatically by mod\_spin. Once the configuration is parsed, the keys and values of the <prop/> tags are placed into the application's SDBM file. Every time this file is opened, the configuration file is checked for modification. If the configuration file is newer, it is parsed again and the keys and values are reloaded into the SDBM file.

#### Authentication =====

Apache provides enough authentication mechanisms to not duplicate this functionality in mod\_spin. And because Apache's request\_rec structure contains all environment variables, the information about the user using the resource

is always available to your applications. At this point in time, I did not feel that keeping user data similar to session and application data was necessary. Things like that mostly belong into the application.

However, you can wrap Apache authentication with the spin\_auth application and small amount of your own code. See spin\_auth and spin\_app applications for all details.

#### Connection pools =====

mod\_spin has a simple API for accessing SQL relational databases. In order to improve performance of connecting to database (and other) servers, mod\_spin uses the popular pool approach. Each connection is identified by the type (of the database) and the connection string, which are specified when the connection is opened. mod\_spin creates a hash of all those connections and stores connection structures, which are database specific, as values in this table. Any subsequent attempt to open a connection to the database of the same type and with the same connection string (the keys are case sensitive) will reuse the existing connection. This can dramatically improve performance of applications that frequently use (database) connections.

Each Apache thread will have its own pool of connections (see also the threading discussion that follows). While this is good for performance, it has downsides.

With every thread having its own private connections to the back-end server, the total number of connections can be rather big (i.e. number of threads multiplied by number of connections per thread). Each connection takes memory, CPU cycles and sockets for communication, which, depending on the number of connections, might not be negligible. This alone can overwhelm the machine and can ultimately result in denial of service. That is another reason why it is a good idea to run a separate instance of Apache for heavily loaded applications. Luckily, Apache is fast to start and it doesn't consume a lot of memory (in today's terms), so you can have many instances of it running at once. With this approach, you're turning your Apache server into a transaction processing server.

As of version 1.0.2 of mod\_spin, connection pools have been made more generic. Now you can register any type of connection with the connection pool. It will be treated as RXV\_SPIN\_CONN\_FOREIGN type and as long as it has a unique connection string, you should be fine. This can then be used for any type of connection you'd like to keep hanging around for the lifetime of the thread. LDAP and similar services come to mind first.

By all means, this kind of simple database API will not be everyone's cup of tea. There are very nice alternatives (SQL Relay comes to mind first) that solved all of these problems and more. Also, some people prefer to program in a truly cross platform solutions like ODBC. Feel free to completely ignore mod\_spin's database API.

#### Threading =====

Some Apache 2 MPMs (Multi-Processing Modules), e.g. worker, spin off multiple threads of execution. Also, you might spin off some threads in your application code as well. There are several issues that might be affecting thread safety, most important being connection pool, followed closely by SDBM database handles used for application/session tracking.

SDBM database handles are allocated from each thread when they are needed (i.e. the SDBM files are opened by the thread for the thread). So, as long as you don't spin off any of your threads, you should be fine. If you do spin off threads and want to use the same handles (they are stored in rxv\_spin\_guts\_t), you MUST SYNCHRONISE, or you might experience weird problems in database access, especially in terms of locking (SDBM is not capable of promoting a shared lock into an exclusive lock). This, of course applies to other variables

within all structures as well, so having mutex/rwlock variables outside of the context structure is a must.

The situation with connection pools is slightly more complicated. Each thread will have its own connection pool. The separation is achieved using `apr_threadkey_private_*` set of functions, which on Linux/Unix map into `pthread_key_*` functions. However, if you spin off your own threads, you MUST SYNCHRONISE access, or you will experience problems.

`mod_spin` code does not do any synchronisation of its own (i.e. it is thread unsafe), simply because it makes sure beforehand that all variables are strictly something a single thread can use without worrying about any other threads. This ensures there is no resource competition among threads.

IMPORTANT NOTE: As of MIT Kerberos (`krb5-libs`) version 1.3.6 and PostgreSQL 7.4.6, the combination is not thread safe. If you use worker (or other thread based) Apache MPM, you can experience segfaults. There are also some memory leaks associated with `krb5` library, so if you don't use database pools, you may see Apache child processes slowly growing in size (the memory leaks have been fixed in the upcoming version 1.4 of `krb5-libs`). A periodical graceful restart should fix that. Generally speaking, a prefork MPM is recommended in these scenarios.

PostgreSQL code  
=====

Function `conninfo_parse()`, located in the file `spin/db.c`, has been modified from the PostgreSQL 7.4.1 distribution. This function is Copyright (c) PostgreSQL Global Development Group and Regents of the University of California. It is included here under the following licence:

Portions Copyright (c) 1996-2003, PostgreSQL Global Development Group

Portions Copyright (c) 1994, The Regents of the University of California

Permission to use, copy, modify, and distribute this software and its documentation for any purpose, without fee, and without a written agreement is hereby granted, provided that the above copyright notice and this paragraph and the following two paragraphs appear in all copies.

IN NO EVENT SHALL THE UNIVERSITY OF CALIFORNIA BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOST PROFITS, ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE UNIVERSITY OF CALIFORNIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE UNIVERSITY OF CALIFORNIA SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE UNIVERSITY OF CALIFORNIA HAS NO OBLIGATIONS TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

Licensing exceptions  
=====

The code of `mod_spin` is licensed under the terms of the GNU General Public Licence, or GPL for short. However, I have made exceptions in certain files of `mod_spin` to make it possible to link this code with Apache itself, its modules, as well as dynamically link shared libraries that are `mod_spin` applications.

It would not be legally possible to link `mod_spin` against Apache (both dynamically and statically) unless this exception was made. Also, it would not be possible to distribute statically linked Apache that includes `mod_spin`. This exception takes care of that as well. You MUST OBEY THE GPL for all `mod_spin` code.

It would also not be legally possible to link any non-GPL licensed `mod_spin`

applications (shared libraries) dynamically, at run-time, into mod\_spin. Because I do not want to attempt to force anyone to use a particular licence for their own work, you get permission to dynamically link, at run-time, any of mod\_spin applications (shared libraries) with mod\_spin. Furthermore, Apache can have dynamically linked modules that aren't licensed under the GPL, which would also cause legal problems. The exception makes sure this is OK too. This dynamic linking has to be through the interface of SpinApplication and SpinAppEntry or LoadModules run-time configuration directives of Apache, as provided by mod\_spin code or Apache itself. Nothing but dynamic linking of mod\_spin applications and Apache third party modules is covered by this exception and you MUST OBEY THE GPL for all mod\_spin code.

If you modify mod\_spin code, you may extend these exceptions to your version of the file, but you are not obligated to do so.

## Installation and configuration

### See also:

[Introduction News Licence](#)

Where to get mod\_spin?  
=====

It is available from here:

<ftp://ftp.rexursive.com/pub/mod-spin/>

You can also get source and binary RPM packages, built on and for Fedora Core Linux distribution on x86 architecture. Skeleton application (i.e. an example application) is available from here:

<ftp://ftp.rexursive.com/pub/spinapps/app/>

Unless you already have your own mod\_spin applications, it can be useful for testing if the installation of mod\_spin actually worked. Source and binary RPM packages are also available.

What else is required to build  
=====

1. Apache 2: <http://httpd.apache.org/>. Plus, you have to apply the following patch to Apache 2.0.49 and below (later versions have the fix in place):

```
=====
diff -ruN httpd-2.0.49-vanilla/server/core.c httpd-2.0.49/server/core.c
--- httpd-2.0.49-vanilla/server/core.c 2004-03-09 09:54:20.000000000 +1100
+++ httpd-2.0.49/server/core.c 2004-03-22 18:56:29.000000000 +1100
@@ -2975,7 +2975,7 @@
     }

     /* Seek the file to 'offset' */
-    if (offset != 0 && rv == APR_SUCCESS) {
+    if (offset >= 0 && rv == APR_SUCCESS) {
         rv = apr_file_seek(fd, APR_SET, &offset);
     }
=====
```

2. Apache Portable Runtime and Apache Portable Runtime Utilities - these come with Apache 2, so nothing special is required to get them; the home page of APR project is here: <http://apr.apache.org/>

IMPORTANT NOTE: You should always use the version of APR/APU that comes with Apache. If you pick another version, especially with a different major number, you may get a nasty surprise.

3. Apache Request Library, version 2 (libapreq2); the home page of this project is here: <http://httpd.apache.org/apreq/>. Apache 2 requires version 2 of this library/module and will not work with version 1; mod\_apreq2 has to be installed and configured for mod\_spin to work.

IMPORTANT NOTE: mod\_spin 1.0.10 and above is known to work with libapreq2-2.06-dev and above (i.e. the multi-env version of this library/module).

4. XML C parser and toolkit, libxml2. You can get it from here: <http://www.xmlsoft.org/>. Most Linux distributions already include it. Apache Portable Runtime Utilities Library includes some support for XML, but libxml2 is a much more mature implementation.
5. A Linux (or Unix) system with Apache 2, APR, APR Util, libxml2 and libapreq2 INSTALLED!
6. If you intend to rebuild scanner.c and parser.c files from scanner.l and parser.y, respectively, you'll need Flex version 2.5.31 or better, which comes with reentrant C scanner support. Versions below that won't work! You can get this version of Flex from <http://lex.sourceforge.net/>. Also, having Bison version 1.875 or better is recommended.

How to build and install  
=====

There are three options to install mod\_spin into Apache 2:

1. As a binary RPM on Fedora Core Linux Distribution
2. As Dynamic Shared Object (DSO) from source
3. By static linking into Apache 2 from source

IMPORTANT: You have to have Apache 2 configured, compiled and installed BEFORE you attempt this procedure (either as an RPM or from source). You MUST have a working apxs for options 2 and 3, otherwise nothing will work!

The various config scripts  
=====

Packages that mod\_spin depends on come with their own configuration scripts. Examples include apr-config, apu-config, apreq2-config, xml2-config etc. The first two will normally reside in the binary path returned by apxs. Others may be in various places on the system. If you want to use a particular one, set the PATH variable so that it points to the version you want when you're running the configure script.

Note on environment variables  
=====

Depending on the system you're running and the features you select, some environment variables will have to be set, namely CFLAGS, CPPFLAGS and LDFLAGS. Normally, they are picked up by the above configuration scripts.

For instance, if you're compiling in MySQL support on Fedora Core 1, the libraries will not be in /usr/lib, but in /usr/lib/mysql. Also, the headers will not be in /usr/include, but in /usr/include/mysql. To make sure configure finds the libraries and headers, the configure script will attempt to detect the correct location of header files and library dependencies, by using mysql\_config. If that doesn't work, you'll have to run:

```
CPPFLAGS="$CPPFLAGS -I/usr/include/mysql \  
LDFLAGS="$LDFLAGS -L/usr/lib/mysql" ./configure [other options here]
```

This would ensure that the compiler and linker can find the required files. Some other systems may have those files in a different location, so you'll have to know certain things about your system before you attempt this.



The same can be said for libxml2, which is a requirement to build mod\_spin, as of version 0.9.1. For instance, this library installs its header files in /usr/include/libxml2 on Fedora Core 1. The configure script will attempt to figure that out at the beginning of its run by running xml2-config. Sometimes this won't work as expected. In that case pass relevant -I option on CPPFLAGS variable and -l/-L options in the LDFLAGS variable, similar to the MySQL example above.

The CFLAGS environment variable is used to pass optimisation and other flags to the C compiler. For instance, you might want to see all warnings and compile in debugging support. You would specify:

```
CFLAGS="-Wall -g" ./configure [other options here]
```

The above is relevant to systems that have GNU C Compiler (gcc). If you use some other compiler, you should check its documentations for the options.

Installation of libraries  
=====

Default prefix is /usr/local, making the installation of libraries go into /usr/local/lib. If you want rxv\_spin library in the system location (i.e. /usr/lib), specify /usr prefix during configuration. Note that this may clash with rxv\_spin library installation from the RPM, if you do have one.

WARNING: rxv\_spin library (i.e. librxv\_spin.\* files) are ABSOLUTELY REQUIRED to run both mod\_spin and any applications that you may have. If the library isn't installed correctly, things will break! Luckily, all three installation options install libraries automatically and this usually isn't a problem.

Library conflicts  
=====

If you have an RPM installed on the system that includes a library (including mod\_spin), the location will usually be /usr/lib. When building from source, mod\_spin will link against a specific library, possibly located in /usr/local/lib, to avoid versioning conflicts and misterious problems with your module when certain RPMs are removed. Use ldd to verify that you finished mod\_spin has correct dependencies.

Macro files for aclocal  
=====

Beginning with mod\_spin 1.0.9, an installable M4 macro file, mod\_spin.m4, is located in the m4 subdirectory of the distribution. It gets installed into the aclocal's ACDIR directory (to verify what that is on your system, run 'aclocal --print-ac-dir'). This macro file is required for all mod\_spin applications that want to use some mod\_spin specific configure tests and it simplifies writing of your own configure.ac files. All mod\_spin macros start with RXV\_SPIN\_, to distinguish them from other macros. You can see how they are used in various mod\_spin applications, including the skeleton application, spin\_app.

On most systems there is only one installation of aclocal. Therefore, both packaged installation (via RPM or some other mechanism) and installation from source would attempt to install this file in the system wide location. In all cases, package installed file will be kept, as it is always marked with a comment 'dnl PACKAGE' in the last line of the file. If you want to overwrite this file with the M4 file from the source build, you will have to copy it to the system wide location manually. This discussion only applies if both package based and source based installation are used on the same system.

IMPORTANT: If you install mod\_spin using an unprivileged user account, there is a good chance you won't be able to write to system wide aclocal location (usually one needs to be root to do this). Therefore, mod\_spin.m4 file IS NOT GOING TO BE INSTALLED. If you still need it for your applications, either

convince your system administrator to install the file in the system wide location, copy the file into the m4 subdirectory of your application or use a local installation of aclocal.

Session support  
=====

As of mod\_spin 1.0.5, session identifiers are taken from mod\_unique\_id and hashed after concatenating SpinSalt configuration parameter to them. This then creates a method of protection against session spoofing and hijacking. For sessions to work at all, YOU MUST set SpinSalt parameter, which cannot be less than 30 characters long. On purpose, there is no default for this parameter, because it is supposed to be secret, somewhat random and unique to your server (or group of servers).

Option 1: From binary RPM  
=====

You have to be using Fedora Core on an x86 machine to do this (or, if you built your own binary RPM, any distro and architecture you did this for). If you are, then it's really simple:

```
rpm -Uvh mod_spin-X.Y.Z-R.i386.rpm
```

where X.Y.Z is version of mod\_spin and R is the RPM release of it. Such installation will create a configuration file for mod\_spin, located here: /etc/httpd/conf.d/spin.conf. This is just an example file, but it should work for the simplest of applications. You'll have to edit it to actually deploy your own mod\_spin applications, of course. Once you do that, any further upgrades of mod\_spin shouldn't overwrite the configuration file you fiddled with, courtesy of RPM. Or you can provide applications' own configuration files, especially if you're deploying those as RPMs as well.

If you want to develop software for mod\_spin and you have an RPM installation, you have to install the development RPM too (mod\_spin 1.0.10 and above):

```
rpm -Uvh mod_spin-devel-X.Y.Z-R.i386.rpm
```

Option 2: DSO from source  
=====

From the top directory of mod\_spin source do:

```
./configure [--prefix=/top/dir] [--with-apxs=/path/to/apxs] \
            [--with-pgsql] [--with-mysql] \
            [--with-flex-reentrant=/path/to/flex/installation/directory]
make
make install
```

Option 3: Static linking from source  
=====

From the top directory of mod\_spin source do:

```
./configure [--prefix=/top/dir] --with-apache=/path/to/apache2/source \
            [--with-apxs=/path/to/apxs] \
            [--with-pgsql] [--with-mysql] \
            [--with-flex-reentrant=/path/to/flex/installation/directory]
make
make install
```

From the top directory of Apache 2 source do:

If this is the first time you are installing mod\_spin into this source tree of Apache 2, you will have to build appropriate files in modules/spin directory:

```
./buildconf
```

IMPORTANT: If you compiled Apache 2 from this source tree before, you should run:

```
make distclean
```

If you don't, compile or link may fail.

Configure Apache 2, either by using an existing configuration (you can also edit config.nice and place --enable-spin there):

```
./config.nice --enable-spin
```

or by using brand new set of options:

```
./configure --enable-spin [your options here]
```

Later, if you don't want mod\_spin (why would you ever want to do that ;-), then specify --disable-spin in your configuration options. Now build Apache 2 and install it:

```
make
make install
```

```
Uninstall
=====
```

If you installed from RPM, just do:

```
rpm -e mod_spin
```

and:

```
rpm -e mod_spin-devel
```

if you installed the development package.

In cases 2 and 3, you can simply run from the top directory of mod\_spin source:

```
make uninstall
```

If you did the install into Apache 2 source for static linking, you should run:

```
./buildconf
```

from the top directory of the Apache 2 source tree. This should clean up the configure script and remove mod\_spin options from it.

```
How to build RPMs
=====
```

You can do it from the tarball by:

```
rpmbuild -ta mod_spin-X.Y.Z.tar.bz2
```

The above will build both source and binary RPMs. Or you can build a binary RPM from the source RPM like this:

```
rpmbuild --rebuild mod_spin-X.Y.Z-R.src.rpm
```

Most systems don't come with reentrant flex (this feature is available in version 2.5.31 and above), so rebuilding the RPMs may fail during the dependency check phase. However, replacing flex with a reentrant package may have system wide implications, especially if you compile software that produces scanners. Therefore, mod\_spin, as of version 1.0.10, depends on flex-reentrant package, which can coexist peacefully alongside flex on your

RPM based system. You can get this package from this location (just look for the latest version):

```
ftp://ftp.rexursive.com/pub/flex/
```

Although source RPMs are normally versioned according to the distribution they have been built on (for instance, SRPM built on Fedora Core 3 will have FC3 in its name), you can still use them on other distributions. They may not install cleanly due to dependency resolution issue, but most times a rebuild from the source RPM will provide you with a binary package you can use.

Doxygen documentation  
=====

References to external documentation, namely that of Apache Portable Runtime, Apache Portable Runtime Utilities Library and Apache Request Library, are all done to the URLs at various Apache web sites. If you're installing from source, in order to link to local documentation instead of one on the net, use the installdox Perl script, located in the docs/html directory (after you performed make install). Something like this should do the trick (of course, substitute example locations with the ones on your system):

```
./installdox -l apr.tag@usr/local/doc/apr \
              -l apu.tag@usr/local/doc/apr-util \
              -l apreq2.tag@usr/local/apache2/share/libapreq2/docs/html
```

For the RPM installation, the RPM post install script will attempt to detect what documentation you have locally and run installdox for you. If you install some documentation after you put mod\_spin RPM on your system, you can either run installdox manually (like in the example above) or you can reinstall the RPM (the --force option does wonders here), which will run the post install script again.

For your convenience, all mod\_spin packages contain mod\_spin.tag file, to allow easy referencing from your documentation.

Module loading order  
=====

The Apache Request Library module must be loaded before mod\_spin, or your Apache web server won't be able to resolve some symbols. So, have them like this in your httpd.conf file:

```
LoadModule apreq_module modules/mod_apreq2.so
LoadModule spin_module modules/mod_spin.so
```

Luckily, when deployed in a standard Red Hat manner via the RPM, where each module gets its own configuration file in conf.d directory, apreq is alphabetically before spin, so it loads first. Phew!

Note on cookies  
=====

As of Apache 2.0.48, support for RFC2965 cookies still has problems. It is best to stick with Netscape cookies for now. Also, Apache 2.0.48 requires you to specify CookieName or things won't work. This has been fixed in Apache CVS and it will appear in later Apache versions.

SELinux environments  
=====

If you are running Security Enhanced Linux (for instance, Fedora Core 3), you may need to do a bit of extra configuration for mod\_spin to work correctly. For instance, if you place application/session database files in /var/tmp/myapp directory, you'll have to make sure that this directory belongs to the correct security context, which is normally root:object\_r:httpd\_cache\_t. To do that,

you'd run:

```
chcon -R -u root -r object_r -t httpd_cache_t /var/tmp/myapp
```

Alternatively, you can set up a context file like this (myapp.ctx):

```
/var/tmp/myapp      -d  root:object_r:httpd_cache_t
/var/tmp/myapp/.*    root:object_r:httpd_cache_t
```

You should then apply this context to the directory:

```
setfiles myapp.ctx /var/tmp/myapp
```

Without this, you may have Apache running in a different security context and being denied access to your application/session database files. Meaning, every time mod\_spin attempts to access /var/tmp/myapp directory, although file permissions allow it, file access would be denied by policy and the client would get an internal server error response.

#### Configuration =====

Here is an example snippet from httpd.conf (comments after configuration parameters will cause errors - they are here only to point out the default settings):

```
<IfModule mod_spin.c>
    AddHandler spin-template .sm
    AddType text/html .sm
    SpinApplication /usr/local/libexec/spinapps/spinapp.so
    SpinAppEntry rxv_spin_service # Default
    SpinAppConfig /usr/local/etc/spinapps/spinapp.xml
    SpinWorkspace /var/tmp/mod_spin
    SpinCookie SpinSession
    SpinSendfile on # Default
    SpinCacheAll off # Default
    SpinClearCount 0 # Default
    SpinSalt # No default
</IfModule>
```

SpinApplication, SpinAppEntry, SpinAppConfig, SpinWorkspace, SpinCookie, SpinSendfile and SpinCacheAll can be placed in the main server section, virtual host section, directory or location section. The nearest available will be used. SpinClearCount and SpinSalt can only be placed in the global configuration, as it doesn't make sense anywhere else.

SpinApplication is the path to the shared library that is your application.

SpinAppEntry is the name of the entry function in the shared library to call (rxv\_spin\_service() by default). Function named in SpinAppEntry will be called after this library is dynamically linked by mod\_spin handler.

SpinAppConfig is the path to the application configuration file. This is a simple XML file (so that we can use XML parsing facilities easily) which looks like this:

```
<?xml version="1.0"?>
<!DOCTYPE spin [
    <!ELEMENT spin (prop*)>
    <!ELEMENT prop (#PCDATA)>
    <!ATTLIST prop name CDATA #REQUIRED>
]>
<spin>
    <prop name="spinparameter1">The value associated with spinparameter1</prop>
    <prop name="spinparameter2">The value associated with spinparameter2</prop>
</spin>
```

Given that parsing of the configuration file is a very rare event (application parameters are kept in the database file after that), the overhead is not big. The DTD of the document is preferably always local, simply because it is very small and makes parsing a predictable event.

SpinWorkspace is a directory location where temporary files for session and application data will go. On Linux (and possibly other systems), you can use /dev/shm (temporary file system support in shared memory) for this, in order to improve performance. If the system is rebooted, you will lose those files, however. This directory must be readable, writable and executable by owner only and it cannot be a symlink.

SpinCookie is the name of the cookie used for session management. This parameter is optional, that is to say, if it isn't defined, sessions will not be supported for that particular configuration section. By convention, this is normally called SpinSession, but it can be called anything you like. As of mod\_spin 1.0.5, session cookie handling is entirely done in mod\_spin. You need to define SpinSalt for sessions to work.

SpinSendfile enables sendfile() support for pushing the data from the template file onto the socket. Default is on. Disable this for file systems that have problems with sendfile().

SpinCacheAll enables caching of all text for every template. This can improve performance, but it'll use more memory. By default, this switch is turned off and all file chunks 256 bytes in size and over will be put into the brigade as FILE buckets, rather than IMMORTAL buckets.

SpinClearCount is the number of requests that a thread private pool and its sub-pools will persist. The resources associated with those pools are parsed templates, as well as pooled database connections. By setting this value to more than zero (0), those resources will be periodically released.

SpinSalt is the cryptographic salt used to add randomness to the session id hashes. It has to be at least 30 characters long. DO NOT SET THIS TO THE SAME VALUE ON ALL YOUR SERVERS UNLESS YOU'RE RUNNING A CLUSTER of machines that share sessions, as it'll be easier for potential attackers to hijack your sessions. The best thing to do is to make this a "random" string, something that doesn't make any sense in any language.

Strangely enough (as of mod\_spin 1.0.6), you can set SpinSalt parameter twice and that is not an error. This functionality exists to enable security savvy administrators to rotate cryptographic salt, in order to make session hijacking even more difficult. An external program, possibly started from cron, can manipulate SpinSalt parameters in the configuration file. The first specified SpinSalt will be considered new and the second one will be considered old, but still valid (other instances of SpinSalt will be ignored). After a graceful restart of Apache, mod\_spin will accept sessions encrypted with both the old and the new salt. All outgoing sessions will be encrypted using the new salt. This enables smooth transition between different crypto salts.

## News

### See also:

[Introduction Installation Licence](#)

\* version 1.0.12: released 2007-02-12

\*\* fix SELinux processing in RPM spec file  
\*\* point to version specific APR/APU documentation  
\*\* don't build gzip distribution

\* version 1.0.11: released 2006-12-21

```
** fix wrong size in loop in rxv_spin_rows_hash()
** fix wrong size in loop in rxv_spin_rows_markeach()
** fix problems generating eatdoxygen

* version 1.0.10 released 2005-08-05

** don't fail if mod_spin.m4 cannot be installed
** adjust to multi-env libapreq2 (2.06 and above)
** use flex-reentrant if available
** context now uses apreq_handle_t
** use --include instead of --cflags for newer mysql_config
** use Bitstream fonts in doxygen.css
** make GCC 4.0 complain less
** check for ap_regex headers
** fix incorrect AC_PATH_PROG calls

* version 1.0.9 released 2005-04-04

** make it compile and run with Apache 2.1.x and APR 1.1.x
** fake ap_construct_url() in spin.c for testing
** split up M4 macros into separate, installable file
** extend rxv_spin-config with docdir
** process doxygen.conf and mod_spin.spec with configure

* version 1.0.8 released 2005-01-29

** use ap_discard_request_body() in handler

* version 1.0.7 released 2005-01-24

** fix crummy md5b64_validate() code
** get rid of the strcpy() calls
** improve RPM spec file

* version 1.0.6 released 2005-01-13

** fix SpinCookie/SpinSalt documentation
** add salt rotation functionality
** actually use salt in MD5 hashing
** mention SELinux installation

* version 1.0.5 released 2004-12-23

This release has emphasis on security. It is also the first version to use
mod_unique_id for session tracking, rather than mod_usertrack. Note that
cookies are now served directly by mod_spin. A new configuration parameter,
SpinSalt, is used to introduce an unknown into the creation of session id MD5
hashes, thus preventing theft of sessions and (some) denial of service attacks.
Application and session tracking now requires a private directory and mod_spin
refuses to use the files if the directory is not read/write by owner only or if
it's a symlink.

** SECURITY: check session/application store path/permissions
** SECURITY: use mod_unique_id for session IDs
** SECURITY: add MD5 hashes of session IDs
** handle session cookies from within mod_spin
** introduce SpinSalt configuration parameter
** make clearcnt configuration parameter work
** drop SpinBasename configuration parameter
** introduce rxv_spin_ses_idget() function
** introduce rxv_spin_ses_valid() function
** make sessions optional

* version 1.0.4 released 2004-10-12

** provide FC version in the RPM release
```

\* version 1.0.3 released 2004-09-23

\*\* fix bogus installdox logic

\* version 1.0.2 released 2004-09-21

Note that in this version there has been a rework of connection pool functionality. The whole thing has been made more generic, so that other connection types can be registered with the pool, not just database ones.

The rxv\_spin\_conn\_t has one extra member, the cleanup function, so, you will HAVE TO RECOMPILE YOUR APPLICATIONS, because this version is obviously BINARY INCOMPATIBLE WITH PREVIOUS VERSIONS. Also, the symbol for rxv\_spin\_db\_pool\_create() function no longer exists in the library. It has been replaced with rxv\_spin\_cpool\_create(). However, compatibility macros have been defined throughout, so recompilation should go smoothly.

\*\* move connection pools into a separate module  
\*\* make rxv\_spin\_db\_pool\_\* legacy  
\*\* make rxv\_spin\_db\_conn and rxv\_spin\_db\_conn\_t legacy  
\*\* make connection keys case sensitive  
\*\* untie connection macros from database functionality  
\*\* use request pool where possible to reduce memory pressure  
\*\* fix redundant PQclear() call  
\*\* add cleanup function to rxv\_spin\_conn\_t  
\*\* ship eatdoxygen.c  
\*\* avoid copying of context data to reduce memory pressure

\* version 1.0.1 released 2004-08-10

\*\* move rxv\_spin\_service\_t back into rxv\_spin.h for docs  
\*\* fix bogus tag file logic

\* version 1.0.0 released 2004-08-04

This is the first 'stable' release of mod\_spin. For the most part, I would prefer to describe it as 'useful', since one can actually have applications that run mostly correct and perform reasonably well inside the mod\_spin framework. As with any software, I'm sure there are bugs in this code too. How many, only the time and a lot of use will tell. So, please, if you do find them, let me know.

Contrary to what many software projects do, I do not have plans for near future development releases of mod\_spin. I'll be focusing more on two things:

1. That the code of mod\_spin is stable, secure and performs well.
2. Some useful mod\_spin applications.

As I find time, I will experiment with mod\_spin inside the current development version of Apache, 2.1. After all, that's where the future is :-)

\*\* delay XML parser cleanup until the end of the request  
\*\* fix possible segfaults with apr\_pool\_cleanup\_register()  
\*\* remove rxv\_spin\_db\_clean() function  
\*\* remove rxv\_spin\_db\_pool\_destroy() function  
\*\* remove rxv\_spin\_db\_finish\_do() function  
\*\* use pool cleanups for database stuff  
\*\* remove bogus child cleanups  
\*\* rxv\_spin\_ctx\_t: shorthand for rxv\_spin\_context\_t  
\*\* improve logging of critical events  
\*\* generate Doxygen tag file  
\*\* reference external documentation  
\*\* change Doxyfile to doxygen.conf and make clearer  
\*\* add database type enquiry macros  
\*\* move rxv\_spin\_service\_t into private.h  
\*\* fix missing tag files



\* version 0.9.13 released 2004-06-20

This version features major performance improvements, especially if the applications you're using are pulling in large or many shared libraries. However, in order to reliably reload applications when new versions are deployed, a graceful restart of Apache is now required.

A configuration script, rxv\_spin-config, has been introduced in this version, to allow easy collection of mod\_spin installation directory locations. You can enquire about prefix, bindir, libdir, libexecdir and includedir. This is useful for configuration of mod\_spin applications.

IMPORTANT: This version (and all future versions) depend on apreq2-config script being properly installed. As of libapreq2-2.03\_04, this is not the case (unless you installed one of my RPMs). So, you'll have to make sure apreq2-config is copied into the correct location for mod\_spin to build from source (this is normally /usr/local/apache2/bin or /usr/bin, depending on how you installed libapreq2).

- \*\* fix library installation text
- \*\* cache dynamically loaded libraries
- \*\* fix linking against librxv\_spin
- \*\* use apreq2-config
- \*\* make rxv\_spin-config script

\* version 0.9.12 released 2004-06-10

- \*\* split into mod\_spin and librxv\_spin
- \*\* fix static linking into Apache
- \*\* move RXV\_SPIN\_MAX\_DEPTH into private.h

\* version 0.9.11 released 2004-05-28

- \*\* size fix for rxv\_spin\_rows()
- \*\* use apr\_pccalloc() instead of apr\_palloc()/memset()

\* version 0.9.10 released 2004-05-27

- \*\* reference processing fix

\* version 0.9.9 released 2004-05-24

- \*\* macro name cleanup

\* version 0.9.8 released 2004-05-18

- \*\* new function: rxv\_spin\_single\_mem()
- \*\* new function: rxv\_spin\_single\_memset()
- \*\* more paranoia about NULL pointers
- \*\* avoid corner case database connection leak
- \*\* delay cleanup until the end of the request

\* version 0.9.7 released 2004-05-14

IMPORTANT: As of this release, single data will always have a '\0' character appended to it. This is useful for passing this data to regular C APIs that handle strings that are terminated in such manner. If you have your own functions that create single data, you will have to adjust them to behave like this or you'll be EXPOSING YOUR APPLICATIONS TO BUFFER OVERFLOWS.

In this version a lot of the data manipulation function changed their names. To avoid incompatibilities, relevant macros have been defined in rxv\_spin.h. However, those compatibility macros may be removed at any time. If you have code that uses old functions, it is best to rename. The rxv\_spin\_column\_markeach() function has been replaced by a function that has an extra parameter, so when changing, take that into account. This new parameter is offset. The compatibility macro defines it as zero (0), which was the

behaviour of the old function.

```

** fix wrong URL in spec file
** new function: rxv_spin_meta_parse()
** new function: rxv_spin_meta_hash()
** new function: rxv_spin_rows_select()
** new function: rxv_spin_rows_hash()
** new function: rxv_spin_rows_mark()
** new function: rxv_spin_rows_markeach()
** new function: rxv_spin_single_trim()
** renamed various data functions
** improve rxv_spin_*_markeach() functions
** make the test file real XHTML
** new function: rxv_spin_str_trim()
** change how singles are stored

* version 0.9.6 released 2000-04-14

** additional APXS check
** do with/without/enable/disable properly
** avoid copying of SQL results
** new function: rxv_spin_resize()
** refine non-pooled database connection cleanup
** new function: rxv_spin_db_clean()
** avoid destroying the brigade, cleanup will do it

* version 0.9.5 released 2004-04-07

** make SpinClearCount global only directive
** make sendfile and text cache flags template specific
** fix incorrect int return from child_init()
** add CFLAGS from apr-config
** improve important program tests
** remove application specific configuration from spin.conf
** expand dynamic linking licensing exception
** adjust RPM spec file

* version 0.9.4 released 2004-04-01

```

For all the negative thinking folk out there :-), mod\_spin now understands #unless, direct opposite of #if. Seriously, I thought there could be instances where one would want to check if something isn't there directly, rather than have the clumsy #if/#else construct. Internally, #unless is implemented using the #if infrastructure.

Other, rather painful changes, were the name changes to some data manipulation functions. It is a bit late in the game, but this was simply begging for a cleanup. Sorry :-(. You can always do a few macro definitions if you want to stick with the old names for a while in your applications. The argument order and type did not change at all, which should make things relatively easy to switch around.

There was also a number of useful functions added to data manipulation section. There could be more in the future, depending on what I bump into solving real world problems.

The support for sendfile() is now in by default and should work correctly, but you'll have to patch you Apache for it to take effect. There is a bug in server/core.c file of Apache up to 2.0.49, function emulate\_sendfile(), that affects the output when a brigade contains more than one FILE bucket. That was the reason for FLUSH buckets after each FILE bucket in the previous mod\_spin code. Here is that patch for Apache:

```

=====
diff -ruN httpd-2.0.49-vanilla/server/core.c httpd-2.0.49/server/core.c
--- httpd-2.0.49-vanilla/server/core.c 2004-03-09 09:54:20.000000000 +1100
+++ httpd-2.0.49/server/core.c 2004-03-22 18:56:29.000000000 +1100

```

```

@@ -2975,7 +2975,7 @@
    }

    /* Seek the file to 'offset' */
-   if (offset != 0 && rv == APR_SUCCESS) {
+   if (offset >= 0 && rv == APR_SUCCESS) {
        rv = apr_file_seek(fd, APR_SET, &offset);
    }
=====

```

Another important fix is related to keep-alive and pipelined requests. In order for that to be handled properly, all memory allocation related to the output brigade is now done from the connection pool.

New configuration parameter SpinCacheAll will turn on template file chunks caching even when they are 256 bytes in size and over. This will consume more memory, but might improve performance.

A lot of effort in this version has been put into parsed template cache and the "poolology" of the beast. My tests indicate that mod\_spin now behaves pretty good when it comes to performance (I have observed up to 25% better performance using the skeleton application, when compared to previous version of mod\_spin), memory leaks and segfaults in that area. As always, non-trivial software has bugs, so if you find some (and you will), let me know.

Unfortunately (or fortunately, depending on your point of view), during mod\_spin stress tests, I was able to crash Linux kernel 2.4.22-1.2174.nptl, as provided by Fedora Core 1. A bug report is in (119519). I'm not sure if this is Red Hat specific, my system specific or generic, but it did crash my notebook several times. We'll have to wait for kernel folk to address this one.

```

** implement #unless, opposite of #if
** new data manipulation API calls
** make existing data manipulation function names sane
** better flex and bison build rules
** make the test file XHTML
** new configuration parameter: SpinSendfile
** enable merging of server and directory configurations
** use connection pool for all brigade stuff
** new configuration parameter: SpinCacheAll
** new configuration parameter: SpinClearCount
** make template caching safe
** fix template cache pool usage
** be more portable in configure.ac

* version 0.9.3 released 2004-03-15

```

Two reasonably big things in this release. The first one related to easy installation - building mod\_spin RPMs is now a no-brainer. The second one is a parsed template cache. This has been a long outstanding issue of mod\_spin (i.e. all templates were always parsed on every request). Now, parsed templates are remembered per thread and if the modification time and size of the template is identical, no parsing will be done. This can speed up mod\_spin up to 30%, as I have observed in my tests. Normally, if you're using database access, the difference in speed will be somewhere in the range of a few percent, but it's nevertheless welcome. With caching of parsed templates memory usage will go up, but given today's memory sizes, I don't see it as a big issue.

Unfortunately (or fortunately), a small API change occurred in this release. It is the order of arguments passed to rxv\_spin\_db\_connect() function (which now makes more sense anyway). But more importantly, the change was warranted due to a semantical change of the function itself, related to the memory leak. It is now required to pass a valid memory pool pointer as the first argument, for all temporary memory allocations.

```
** RPM build support (not heavily tested)
** create a memory pool per thread to avoid locking
** parsed templates are now cached per thread
** closed serious memory leaks in rxv_spin_db_connect()
** changed the order of arguments for rxv_spin_db_connect()
** improved build system
```

\* version 0.9.2 released 2004-03-08

The API should now be considered relatively stable. All unnecessary variables have been removed from the context and placed into a separate member 'guts', which is used internally by mod\_spin and shouldn't be relied upon. This will enable future enhancements to the context, while preserving current structure layout. There is also a new member 'extra' that can be used for any user data that needs to be placed into the context.

```
** add more checks to various functions
** split context stuff into context.c
** split data stuff into data.c
** split application/session stuff into store.c
** fix potential memory leak in XML parsing
** drop session base filename
** fix configuration file reload for missing page file
** split data and context functions in the documentation
** provide context guts to stabilise the API
** allow extra data to be placed into the context
** eatdoxygen utility for removing Doxygen comments
** hose Doxygen comments from installed rxv_spin.h file
** build and install manual pages
** remove LaTeX documentation and put mod_spin.pdf in docs
** install HTML documentation
```

\* version 0.9.1 released 2004-03-04

```
** rxv_spin_app_del(), rxv_spin_ses_del()
** even more clear licensing exceptions
** rxv_spin_ctx_del macro
** build system enhanced (auto find MySQL stuff)
** depend on libxml2
** XML configuration files
** add SpinAppConfig, application configuration file
** fixed incorrect application store linkage to cookies
```

\* version 0.9.0 released 2004-02-27

```
** first beta version
** more clear licensing exceptions
** rxv_spin_db_escape() function
** rxv_spin_ctx_str_set macro
** don't escape query strings in rxv_spin_db_exec()
** switch to apr_hash_t in rxv_spin_data_t for case sensitivity
** fix ordering of rxv_spin_data structure
```

\* version 0.0.4 released 2004-02-20

```
** LAST ALPHA RELEASE - FEATURE SET NOW COMPLETE
** MySQL support
** module signature to ServerSignature
** workaround for PACKAGE_* conflicts
** SpinAppEntry parameter
** REDIRECT, DONE and DECLINED handling
** create-spintest.sql
** database connections stored per type in the pool
** avoid use of apr_psprintf() for session filenames
```

\* version 0.0.3 released 2004-01-13

```
** threading behaviour changed
** changed API

* version 0.0.2 released 2003-10-17

** added tests directory
** changed API

* version 0.0.1 released 2003-10-15

** Alpha quality code
** Most likely builds and works in certain circumstances

* version 0.0.1 in development 2003-05-26

** Successfully switched to autoconf/automake/libtool build system
** Needs flex 2.5.31 to build (recursive C scanner feature)
```

## Terms of copying, distribution and modification

### See also:

[Introduction News Installation](#)

GNU GENERAL PUBLIC LICENSE  
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under

these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program



specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## 2 mod\_spin Module Index

### 2.1 mod\_spin Modules

Here is a list of all modules:

<b>Data manipulation functions</b>	<b>34</b>
<b>Context functions</b>	<b>47</b>
<b>Connection functions</b>	<b>49</b>
<b>Database functions</b>	<b>53</b>
<b>Application and session functions</b>	<b>58</b>
<b>Service function</b>	<b>62</b>

## 3 mod\_spin Data Structure Index

### 3.1 mod\_spin Data Structures

Here are the data structures with brief descriptions:

<b><a href="#">rxv_spin_conn</a> (Connection structure)</b>	<b>63</b>
---	-----------

<a href="#">rxv_spin_context</a> (Context structure )	64
<a href="#">rxv_spin_cpool</a> (Connection pool structure )	65
<a href="#">rxv_spin_data</a> (Data structure )	66
<a href="#">rxv_spin_db_result</a> (Database result structure )	67

## 4 mod\_spin File Index

### 4.1 mod\_spin File List

Here is a list of all documented files with brief descriptions:

<a href="#">spin/rxv_spin.h</a> (Mod_spin data structures and functions )	67
---	----

## 5 mod\_spin Module Documentation

### 5.1 Data manipulation functions

#### Data Structures

- struct [rxv\\_spin\\_data](#)  
*Data structure.*

#### Defines

- #define [RXV\\_SPIN\\_DATA\\_SGL](#) 0x01
- #define [RXV\\_SPIN\\_DATA\\_RWS](#) 0x02
- #define [RXV\\_SPIN\\_DATA\\_MTA](#) 0xFF
- #define [RXV\\_SPIN\\_TRIM\\_LEFT](#) 0x01
- #define [RXV\\_SPIN\\_TRIM\\_RIGHT](#) 0x02
- #define [rxv\\_spin\\_single\\_trimboth](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_single\\_trimleft](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))
- #define [rxv\\_spin\\_single\\_trimright](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_column\\_del](#)(rows, key) rxv\_spin\_column\_set((rows),(key),NULL)
- #define [rxv\\_spin\\_str\\_trimboth](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_str\\_trimleft](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))
- #define [rxv\\_spin\\_str\\_trimright](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))

#### Typedefs

- typedef struct [rxv\\_spin\\_data](#) [rxv\\_spin\\_data\\_t](#)

## Functions

- `rxv_spin_data_t * rxv_spin_single` (`apr_pool_t *pool`, `const char *str`)
- `char * rxv_spin_single_get` (`rxv_spin_data_t *single`)
- `rxv_spin_data_t * rxv_spin_single_set` (`rxv_spin_data_t *single`, `const char *str`)
- `rxv_spin_data_t * rxv_spin_single_mem` (`apr_pool_t *pool`, `const char *str`, `size_t size`)
- `rxv_spin_data_t * rxv_spin_single_memset` (`rxv_spin_data_t *single`, `const char *str`, `size_t size`)
- `rxv_spin_data_t * rxv_spin_single_tolower` (`rxv_spin_data_t *single`)
- `rxv_spin_data_t * rxv_spin_single_toupper` (`rxv_spin_data_t *single`)
- `rxv_spin_data_t * rxv_spin_single_trim` (`rxv_spin_data_t *single`, `unsigned char what`)
- `rxv_spin_data_t * rxv_spin_meta` (`apr_pool_t *pool`,...)
- `rxv_spin_data_t * rxv_spin_meta_vstr` (`apr_pool_t *pool`,...)
- `rxv_spin_data_t * rxv_spin_meta_parse` (`apr_pool_t *pool`, `char *str`, `const char *sep`)
- `rxv_spin_data_t * rxv_spin_meta_empty` (`apr_pool_t *pool`, `size_t size`)
- `apr_hash_t * rxv_spin_meta_hash` (`apr_pool_t *pool`, `rxv_spin_data_t *data`)
- `rxv_spin_data_t * rxv_spin_meta_mark` (`rxv_spin_data_t *data`, `size_t element`)
- `rxv_spin_data_t * rxv_spin_meta_markeach` (`rxv_spin_data_t *data`, `size_t off`, `size_t step`)
- `rxv_spin_data_t * rxv_spin_meta_select` (`rxv_spin_data_t *data`, `rxv_spin_data_t *select`, `apr_hash_t *hash`)
- `rxv_spin_data_t * rxv_spin_rows` (`apr_pool_t *pool`,...)
- `apr_hash_t * rxv_spin_rows_hash` (`apr_pool_t *pool`, `rxv_spin_data_t *rows`, `const char *column`)
- `rxv_spin_data_t * rxv_spin_rows_mark` (`rxv_spin_data_t *rows`, `const char *column`, `size_t element`)
- `rxv_spin_data_t * rxv_spin_rows_markeach` (`rxv_spin_data_t *rows`, `const char *column`, `size_t off`, `size_t step`)
- `rxv_spin_data_t * rxv_spin_rows_select` (`rxv_spin_data_t *rows`, `rxv_spin_data_t *select`, `const char *column`, `const char *marker`, `apr_hash_t *hash`)
- `rxv_spin_data_t * rxv_spin_column_get` (`apr_pool_t *pool`, `rxv_spin_data_t *rows`, `const char *key`)
- `rxv_spin_data_t * rxv_spin_column_set` (`rxv_spin_data_t *rows`, `const char *key`, `rxv_spin_data_t *column`)
- `rxv_spin_data_t * rxv_spin_resize` (`apr_pool_t *pool`, `rxv_spin_data_t *data`, `size_t size`)
- `rxv_spin_data_t * rxv_spin_copy` (`apr_pool_t *pool`, `rxv_spin_data_t *data`)
- `char * rxv_spin_str_tolower` (`const char *str`)
- `char * rxv_spin_str_toupper` (`const char *str`)
- `char * rxv_spin_str_trim` (`char *str`, `unsigned char what`)

### 5.1.1 Detailed Description

Data manipulation functions (mod\_spin API)

### 5.1.2 Define Documentation

#### 5.1.2.1 #define RXV\_SPIN\_DATA\_SGL 0x01

single data type (size limited string)

#### 5.1.2.2 #define RXV\_SPIN\_DATA\_RWS 0x02

rows data type (named columns, numbered rows)

**5.1.2.3 #define RXV\_SPIN\_DATA\_MTA 0xFF**

metadata type (not used in rendering)

**5.1.2.4 #define RXV\_SPIN\_TRIM\_LEFT 0x01**

trim whitespace on the left

**5.1.2.5 #define RXV\_SPIN\_TRIM\_RIGHT 0x02**

trim whitespace on the right

**5.1.2.6 #define rxv\_spin\_single\_trimboth(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))**

trim single on both sides

**5.1.2.7 #define rxv\_spin\_single\_trimleft(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))**

trim single on the left side

**5.1.2.8 #define rxv\_spin\_single\_trimright(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))**

trim single on the right side

**5.1.2.9 #define rxv\_spin\_column\_del(rows, key) rxv\_spin\_column\_set((rows),(key),NULL)**

delete a column from rows

**5.1.2.10 #define rxv\_spin\_str\_trimboth(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))**

trim string on both sides

**5.1.2.11 #define rxv\_spin\_str\_trimleft(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))**

trim string on the left side

**5.1.2.12 #define rxv\_spin\_str\_trimright(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))**

trim string on the right side

**5.1.3 Typedef Documentation****5.1.3.1 typedef struct rxv\_spin\_data rxv\_spin\_data\_t**

data type

### 5.1.4 Function Documentation

#### 5.1.4.1 rxv\_spin\_data\_t\* rxv\_spin\_single (apr\_pool\_t \* *pool*, const char \* *str*)

Create single data from a nul terminated string. String is not copied - use apr\_pstrdup() for that.

**Parameters:**

*pool* Pool for allocation of data structure

*str* String to create data from

**Returns:**

rxv\_spin\_data\_t pointer, structure allocated from the pool, NULL on error

**Example:**

```
rxv_spin_single(ctx->pool, "some string");
```

#### 5.1.4.2 char\* rxv\_spin\_single\_get (rxv\_spin\_data\_t \* *single*)

Get a nul terminated string from the single data. String is not copied, use apr\_pstrdup() for that.

**Parameters:**

*single* Single data

**Returns:**

nul terminated string, NULL on error

**Example:**

```
rxv_spin_single_get(data);
```

**Remarks:**

You can, of course, completely ignore this function if you know that your data is a single and that it is not NULL. Simply doing data->data will return the same string.

#### 5.1.4.3 rxv\_spin\_data\_t\* rxv\_spin\_single\_set (rxv\_spin\_data\_t \* *single*, const char \* *str*)

Replace data (string) in an already existing single. String is not copied - use apr\_pstrdup() for that.

**Parameters:**

*single* Already existing single

*str* String to replace within single

**Returns:**

rxv\_spin\_data\_t pointer, NULL on error

**Example:**

```
rxv_spin_single_set(single, "some new string");
```

**Remarks:**

This function is useful for replacing singles while iterating through rows of data. In other words, for data postprocessing.

**5.1.4.4 rxv\_spin\_data\_t\* rxv\_spin\_single\_mem (apr\_pool\_t \* *pool*, const char \* *str*, size\_t *size*)**

Create single data from from a counted string. Although the string is counted, it has to end with a nul character. This function will check for it and if it isn't there, it'll refuse to create the single. Keep in mind that the memory allocated for the counted string will be size + 1, meaning, if it isn't, the check for that nul character at the end may cause a segfault. String is not copied - use apr\_pstrmemdup() for that.

**Parameters:**

*pool* Pool for allocation of data structure  
*str* String to create data from  
*size* Size of the string, not counting the ending nul character

**Returns:**

rxv\_spin\_data\_t pointer, structure allocated from the pool, NULL on error

**Example:**

```
rxv_spin_single_mem(ctx->pool, "1234567890", 10);
```

**5.1.4.5 rxv\_spin\_data\_t\* rxv\_spin\_single\_memset (rxv\_spin\_data\_t \* *single*, const char \* *str*, size\_t *size*)**

Replace data (counted string) in an already existing single. Although the string is counted, it has to end with a nul character. This function will check for it and if it isn't there, it'll refuse to create the single. Keep in mind that the memory allocated for the counted string will be size + 1, meaning, if it isn't, the check for that nul character at the end may cause a segfault. String is not copied - use apr\_pstrmemdup() for that.

**Parameters:**

*single* Already existing single  
*str* String to replace within single  
*size* Size of the string, not counting the ending nul character

**Returns:**

rxv\_spin\_data\_t pointer, NULL on error

**Example:**

```
rxv_spin_single_memset(single, "1234567890", 10);
```

**Remarks:**

This function is useful for replacing singles while iterating through rows of data. In other words, for data postprocessing.

**5.1.4.6 rxv\_spin\_data\_t\* rxv\_spin\_single\_tolower (rxv\_spin\_data\_t \* *single*)**

Convert a single to lowercase. Single pushed into the function is modified, no copy is made.

**Parameters:**

*single* Single data

**Returns:**

the same single in lowercase, NULL on error

**Example:**

```
rxv_spin_single_tolower(single);
```

**5.1.4.7 rxv\_spin\_data\_t\* rxv\_spin\_single\_toupper (rxv\_spin\_data\_t \* *single*)**

Convert a single to uppercase. Single pushed into the function is modified, no copy is made.

**Parameters:**

*single* Single data

**Returns:**

the same single in uppercase, NULL on error

**Example:**

```
rxv_spin_single_toupper(single);
```

**5.1.4.8 rxv\_spin\_data\_t\* rxv\_spin\_single\_trim (rxv\_spin\_data\_t \* *single*, unsigned char *what*)**

Trim whitespace from a single. No copy is made.

**Parameters:**

*single* Single data

*what* Trim left: RXV\_SPIN\_TRIM\_LEFT, trim right: RXV\_SPIN\_TRIM\_RIGHT

**Returns:**

the same single trimmed, NULL on error

**Example:**

```
rxv_spin_single_trim(single, RXV_SPIN_TRIM_LEFT | RXV_SPIN_TRIM_RIGHT);
```

**5.1.4.9 rxv\_spin\_data\_t\* rxv\_spin\_meta (apr\_pool\_t \* *pool*, ...)**

Create metadata from data. Meta data is an array of rxv\_spin\_data\_t. It is not used to place data into the context, but simply to facilitate the API. Data is not copied.



**Parameters:**

*pool* Pool for allocation of data structure  
 ... List of rxv\_spin\_data\_t\*, ending with NULL

**Returns:**

rxv\_spin\_data\_t pointer, structures allocated from the pool, NULL on error

**Example:**

```
rxv_spin_meta(ctx->pool,
             rxv_spin_rows(ctx->pool, "x", x, "y", y, "z", z, NULL),
             rxv_spin_rows(ctx->pool, "u", u, "v", v, "w", w, NULL),
             NULL);
```

**5.1.4.10 rxv\_spin\_data\_t\* rxv\_spin\_meta\_vstr (apr\_pool\_t \* pool, ...)**

Create metadata from from nul terminated strings. Meta data is an array of rxv\_spin\_data\_t. It is not used to place data into the context, but simply to facilitate the API. Strings are not copied - use apr\_pstrdup() for that.

**Parameters:**

*pool* Pool for allocation of data structure  
 ... List of char\*, ending with NULL

**Returns:**

rxv\_spin\_data\_t pointer, structures allocated from the pool, NULL on error

**Example:**

```
rxv_spin_meta_vstr(ctx->pool, "first string", "second string", NULL);
```

**5.1.4.11 rxv\_spin\_data\_t\* rxv\_spin\_meta\_parse (apr\_pool\_t \* pool, char \* str, const char \* sep)**

Create metadata by parsing a string. Meta data is an array of rxv\_spin\_data\_t. It is not used to place data into the context, but simply to facilitate the API. String to parse is NOT copied into pool storage before parsing, therefore, if you want to parse constant strings, you MUST copy them using apr\_pstrdup(). This function actually chops up the string that is passed into it, so if the string is supposed to be used somewhere else, you may get a nasty surprise after calling this function. It is safer to make a copy.

**Parameters:**

*pool* Pool for allocation of data structure  
*str* String to parse  
*sep* Separators to use when parsing

**Returns:**

rxv\_spin\_data\_t pointer, structures allocated from the pool, NULL on error

**Example:**

```
rxv_spin_meta_parse(ctx->pool,
                  apr_pstrdup(ctx->pool, "first str,second str/third str"),
                  ",/");
```

**5.1.4.12 rxv\_spin\_data\_t\* rxv\_spin\_meta\_empty (apr\_pool\_t \* pool, size\_t size)**

Create an empty column of data. The size of the column is usually picked up from an existing rows data type. The returned value is metadata and its size is embedded in it.

**Parameters:**

*pool* Pool for allocation of data structures  
*size* Size (number of elements) of the column to create

**Returns:**

rxv\_spin\_data\_t pointer, structures allocated from the pool, NULL on error

**Example:**

```
rxv_spin_meta_empty (ctx->pool, rows->size);
```

**Remarks:**

This function is useful for creating boilerplate columns, used for various marker data.

**5.1.4.13 apr\_hash\_t\* rxv\_spin\_meta\_hash (apr\_pool\_t \* pool, rxv\_spin\_data\_t \* data)**

Create a hash table of metadata. Keys will be strings from singles, values will be pointers to the actual singles. Data other than singles will not be hashed.

**Parameters:**

*pool* Pool for all memory allocation  
*data* Meta data to hash

**Returns:**

a hash table of the data, NULL on error

**Example:**

```
rxv_spin_meta_hash (ctx->pool, data);
```

**5.1.4.14 rxv\_spin\_data\_t\* rxv\_spin\_meta\_mark (rxv\_spin\_data\_t \* data, size\_t element)**

Mark an element in the metadata (associate an empty string to it). This is useful for creating markers for the presentation layer. The data passed into this function is metadata, meaning, the size is embedded in it.

**Parameters:**

*data* Data to mark  
*element* The index of the element to mark

**Returns:**

rxv\_spin\_data\_t pointer to data, NULL on error

**Example:**

```
rxv_spin_meta_mark (data, rows->size-1);
```

**5.1.4.15 rxv\_spin\_data\_t\* rxv\_spin\_meta\_markeach (rxv\_spin\_data\_t \* *data*, size\_t *off*, size\_t *step*)**

Mark each n-th element in the metadata (associate an empty string to it). This is useful for creating markers for the presentation layer. The data passed into this function metadata, meaning, the size is embedded in it.

**Parameters:**

*data* Data to mark  
*off* Offset to start from  
*step* Each n-th element to mark

**Returns:**

rxv\_spin\_data\_t pointer to data, NULL on error

**Example:**

```
rxv_spin_meta_markeach (data, 1, 2);
```

**5.1.4.16 rxv\_spin\_data\_t\* rxv\_spin\_meta\_select (rxv\_spin\_data\_t \* *data*, rxv\_spin\_data\_t \* *select*, apr\_hash\_t \* *hash*)**

Select (mark) data that matches given data set. Selection data set is either single or metadata. The select operation can use an optional hash of the data that is being matched. Otherwise, the search is linear (which is OK for small data sets).

**Parameters:**

*data* Data to select  
*select* Single or metadata to use for selection  
*hash* Optional hash of the data being matched or NULL

**Returns:**

rxv\_spin\_data\_t pointer to data, NULL on error

**Example:**

```
rxv_spin_meta_select (data, rxv_spin_str_parse (ctx->pool, "Australia, Japan", ", "),  
                    rxv_spin_meta_hash (ctx->pool, data));
```

**5.1.4.17 rxv\_spin\_data\_t\* rxv\_spin\_rows (apr\_pool\_t \* *pool*, ...)**

Create rows of data from metadata. The list supplied contains alternating column names, which are strings, and the actual data for the column, in form of metadata. If metadata contains different array lengths, the smallest size will be used. Data is not copied.

**Parameters:**

*pool* Pool for allocation of data structure  
... List of char\* and rxv\_spin\_data\_t\*, ending with NULL

**Returns:**

rxv\_spin\_data\_t pointer, structures allocated from the pool, NULL on error

**Example:**

```
rxv_spin_rows(ctx->pool, "def", def, "ghi", ghi, "xyz", xyz, NULL);
```

**5.1.4.18 apr\_hash\_t\* rxv\_spin\_rows\_hash (apr\_pool\_t \* *pool*, rxv\_spin\_data\_t \* *rows*, const char \* *column*)**

Create a hash table of a column of rows. Keys will be strings from singles, values will be pointers to the actual singles. Data other than singles will not be hashed.

**Parameters:**

*pool* Pool for all memory allocation

*rows* Rows to hash

*column* Column to hash

**Returns:**

a hash table of the data, NULL on error

**Example:**

```
rxv_spin_rows_hash(ctx->pool, rows, "secondcolumn");
```

**5.1.4.19 rxv\_spin\_data\_t\* rxv\_spin\_rows\_mark (rxv\_spin\_data\_t \* *rows*, const char \* *column*, size\_t *element*)**

Mark an element in the column of rows (associate an empty string to it). This is useful for creating markers for the presentation layer.

**Parameters:**

*rows* Rows to mark

*column* Name of the column to mark

*element* The index of the element to mark

**Returns:**

rxv\_spin\_data\_t pointer to rows, NULL on error

**Example:**

```
rxv_spin_rows_mark(rows, "lastrow", rows->size-1);
```

**5.1.4.20 rxv\_spin\_data\_t\* rxv\_spin\_rows\_markeach (rxv\_spin\_data\_t \* *rows*, const char \* *column*, size\_t *off*, size\_t *step*)**

Mark each n-th element in the column of rows (associate an empty string to it). This is useful for creating markers for the presentation layer.

**Parameters:**

*rows* Rows to mark  
*column* Name of the column to mark  
*off* Offset to start from  
*step* Each n-th element to mark

**Returns:**

rxv\_spin\_data\_t pointer to rows, NULL on error

**Example:**

```
rxv_spin_rows_markeach(rows, "evenrow", 0, 2);
```

**5.1.4.21 rxv\_spin\_data\_t\* rxv\_spin\_rows\_select (rxv\_spin\_data\_t \* rows, rxv\_spin\_data\_t \* select, const char \* column, const char \* marker, apr\_hash\_t \* hash)**

Select (mark) rows of data that match given data set. Selection data set is either single or metadata. The select operation can use an optional hash of the column that is being matched. Otherwise, the search is linear (which is OK for small data sets).

**Parameters:**

*rows* Rows of data to select  
*select* Single or metadata to use for selection  
*column* Column used to match the data from select parameter  
*marker* Column used to place markers for selected data  
*hash* Optional hash of the column being matched or NULL

**Returns:**

rxv\_spin\_data\_t pointer to rows, NULL on error

**Example:**

```
rxv_spin_rows_select(rows, rxv_spin_str_parse(ctx->pool, "Australia, Japan", ", "),  
                    "country", "selected",  
                    rxv_spin_rows_hash(ctx->pool, rows, "country"));
```

**5.1.4.22 rxv\_spin\_data\_t\* rxv\_spin\_column\_get (apr\_pool\_t \* pool, rxv\_spin\_data\_t \* rows, const char \* key)**

Get a column from rows data type. The column is not copied, rather a pointer to the first element in the array is returned inside a metadata type. Being metadata, this column will have its size embedded in it.

**Parameters:**

*pool* Pool for allocation of data structure  
*rows* Rows data type  
*key* Name of the column to get

**Returns:**

rxv\_spin\_data\_t pointer, NULL on error

**Example:**

```
column=rxv_spin_column_get(rows,"firstfield");
for(i=0;i<rows->size;i++)
    rxv_spin_single_toupper(column+i);
```

**5.1.4.23 rxv\_spin\_data\_t\* rxv\_spin\_column\_set (rxv\_spin\_data\_t \* rows, const char \* key, rxv\_spin\_data\_t \* column)**

Set a column in rows data type. The column passed into this function is metadata. The size of the column has to be equal or greater than the number of rows.

**Parameters:**

*rows* Rows data type  
*key* Name of the column to set  
*column* Column to set

**Returns:**

rxv\_spin\_data\_t pointer to the column, NULL on error

**Example:**

```
rxv_spin_column_set(rows,"newcolumn",rxv_spin_column(rows->size));
```

**Remarks:**

This function is also used for column removal, through a macro. In such a case, NULL return value is not necessarily a failure.

**5.1.4.24 rxv\_spin\_data\_t\* rxv\_spin\_resize (apr\_pool\_t \* pool, rxv\_spin\_data\_t \* data, size\_t size)**

Resize rows or metadata.

**Parameters:**

*pool* Pool for all memory allocation  
*data* Data, rows or metadata type only  
*size* New size

**Returns:**

resized data, NULL on error

**Example:**

```
rxv_spin_resize(ctx->pool,data,100);
```

**Remarks:**

If the requested size is smaller than original size, only the size field will be adjusted. If the requested size is larger, the structures containing pointers to data will be copied to the newly allocated memory space. If you rely on the old data (i.e. before resizing) in any way, you might create big problems, even security related ones.

**5.1.4.25 rxv\_spin\_data\_t\* rxv\_spin\_copy (apr\_pool\_t \* pool, rxv\_spin\_data\_t \* data)**

Make a copy of data. The result is a full, deep copy (i.e. there is not a single byte in common with the original).

**Parameters:**

*pool* Pool for all memory allocation  
*data* Data, any type

**Returns:**

copy of the data, NULL on error

**Example:**

```
rxv_spin_copy (ctx->pool, data);
```

**Remarks:**

If you're using this function on rows or metadata, the copying might take a while, as all memory is going to be allocated from the pool and all data and structures are going to be copied, down to the last string. In such a scenario, only use this function if you are planning on putting the result into context as a new item, or you need to keep the original data for some other reason.

**5.1.4.26 char\* rxv\_spin\_str\_tolower (const char \* str)**

Convert a string to lowercase. String pushed into the function is modified, no copy is made.

**Parameters:**

*str* String to convert, nul terminated

**Returns:**

the same string in lowercase, NULL on error

**Example:**

```
rxv_spin_str_tolower (single);
```

**5.1.4.27 char\* rxv\_spin\_str\_toupper (const char \* str)**

Convert a string to uppercase. String pushed into the function is modified, no copy is made.

**Parameters:**

*str* String to convert, nul terminated

**Returns:**

the same string in uppercase, NULL on error

**Example:**

```
rxv_spin_str_toupper(single);
```

**5.1.4.28 char\* rxv\_spin\_str\_trim (char \* str, unsigned char what)**

Trim whitespace from a string. No copy is made. You MUST copy the string into pool storage using `apr_pstrdup()` if you're trimming constant strings.

**Parameters:**

*str* String

*what* Trim left: `RXV_SPIN_TRIM_LEFT`, trim right: `RXV_SPIN_TRIM_RIGHT`

**Returns:**

the same string trimmed, NULL on error

**Example:**

```
rxv_spin_str_trim(apr_strdup(ctx->pool, " string with whitespace "),
                  RXV_SPIN_TRIM_LEFT | RXV_SPIN_TRIM_RIGHT);
```

**5.2 Context functions****Data Structures**

- struct `rxv_spin_context`  
*Context structure.*

**Defines**

- #define `rxv_spin_ctx_strget`(ctx, key) `rxv_spin_single_get(rxv_spin_ctx_get((ctx),(key)))`
- #define `rxv_spin_ctx_strset`(ctx, key, val) `rxv_spin_ctx_set((ctx),(key),rxv_spin_single((ctx) → pool,(val)))`
- #define `rxv_spin_ctx_del`(ctx, key) `rxv_spin_ctx_set((ctx),(key),NULL)`

**Typedefs**

- typedef struct `rxv_spin_context` `rxv_spin_context_t`
- typedef `rxv_spin_context_t` `rxv_spin_ctx_t`

**Functions**

- `rxv_spin_data_t * rxv_spin_ctx_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ctx_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *value)`



### 5.2.1 Detailed Description

Context functions (mod\_spin API)

### 5.2.2 Define Documentation

#### 5.2.2.1 `#define rxv_spin_ctx_strget(ctx, key) rxv_spin_single_get(rxv_spin_ctx_get((ctx),(key)))`

get a string from the context by converting from single

#### 5.2.2.2 `#define rxv_spin_ctx_strset(ctx, key, val) rxv_spin_ctx_set((ctx),(key),rxv_spin_single((ctx) → pool,(val)))`

set a string into context by converting to single

#### 5.2.2.3 `#define rxv_spin_ctx_del(ctx, key) rxv_spin_ctx_set((ctx),(key),NULL)`

delete a value from context

### 5.2.3 Typedef Documentation

#### 5.2.3.1 `typedef struct rxv_spin_context rxv_spin_context_t`

context type

#### 5.2.3.2 `typedef rxv_spin_context_t rxv_spin_ctx_t`

shorthand for context type

### 5.2.4 Function Documentation

#### 5.2.4.1 `rxv_spin_data_t* rxv_spin_ctx_get (rxv_spin_context_t * ctx, const char * key)`

Retrieve data from the context.

##### Parameters:

*ctx* Context

*key* Unique key by which this data is identified

##### Returns:

pointer to data (no copying is done), NULL if not found

##### Example:

```
rxv_spin_ctx_get (ctx, "result");
```

#### 5.2.4.2 `rxv_spin_data_t* rxv_spin_ctx_set (rxv_spin_context_t * ctx, const char * key, rxv_spin_data_t * value)`

Place data into the context.

**Parameters:***ctx* Context*key* Unique key by which this data is identified*value* The actual data**Returns:**

pointer to data (no copying is done), NULL on error

**Example:**

```
rxv_spin_ctx_set(ctx, "result", result->data);
```

**Remarks:**

This function is also used for context data removal, through a macro. In such a case, NULL return value is not necessarily a failure.

**IMPORTANT:**

The data set into the context has to have at least the lifetime of the request. Anything less and the pool used to hold the data may get cleaned before the bucket holding the value gets created. In most cases, this will result in a segfault.

**IMPORTANT:**

Do not put data allocated from the heap (with malloc(), calloc() and friends) into the context unless you set up cleanup functions that will free the allocated space. Although the context itself and the bucket brigade passed to Apache will be cleaned automatically (because it is allocated from the pool and/or has relevant cleanup functions), the heap storage space has to be freed explicitly. The safest option is to always use data allocated from the request pool.

## 5.3 Connection functions

**Data Structures**

- struct [rxv\\_spin\\_conn](#)  
*Connection structure.*
- struct [rxv\\_spin\\_cpool](#)  
*Connection pool structure.*

**Defines**

- #define [RXV\\_SPIN\\_CONN\\_PGSQL](#) 0x01
- #define [RXV\\_SPIN\\_CONN\\_MYSQL](#) 0x02
- #define [RXV\\_SPIN\\_CONN\\_MINID](#) 0x01
- #define [RXV\\_SPIN\\_CONN\\_MAXID](#) 0x3F
- #define [RXV\\_SPIN\\_CONN\\_FOREIGN](#) 0x40
- #define [RXV\\_SPIN\\_CONN\\_POOLED](#) 0x80
- #define [RXV\\_SPIN\\_CONN\\_IS\\_PGSQL\(c\)](#) (((c) → type)&RXV\_SPIN\_CONN\_MAXID)==RXV\_SPIN\_CONN\_PGSQL)

- `#define RXV_SPIN_CONN_IS_MYSQL(c) (((c) → type)&RXV_SPIN_CONN_MAXID)==RXV_SPIN_CONN_MYSQL)`
- `#define RXV_SPIN_CONN_IS_FOREIGN(c) (((c) → type)&RXV_SPIN_CONN_FOREIGN)`
- `#define RXV_SPIN_CONN_IS_POOLED(c) (((c) → type)&RXV_SPIN_CONN_POOLED)`

### Typedefs

- `typedef struct rxv_spin_conn rxv_spin_conn_t`
- `typedef struct rxv_spin_cpool rxv_spin_cpool_t`

### Functions

- `rxv_spin_cpool_t * rxv_spin_cpool_create (apr_pool_t *pool)`
- `rxv_spin_conn_t * rxv_spin_cpool_get (apr_pool_t *pool, rxv_spin_cpool_t *cpool, const char *conninfo)`
- `rxv_spin_conn_t * rxv_spin_cpool_set (rxv_spin_cpool_t *cpool, const char *conninfo, void *conn, apr_status_t(*cleanup)(void *data))`
- `apr_status_t rxv_spin_conn_close (rxv_spin_conn_t *conn)`

#### 5.3.1 Detailed Description

Connection functions (mod\_spin API)

#### 5.3.2 Define Documentation

##### 5.3.2.1 `#define RXV_SPIN_CONN_PGSQL 0x01`

PostgreSQL connection type

##### 5.3.2.2 `#define RXV_SPIN_CONN_MYSQL 0x02`

MySQL connection type

##### 5.3.2.3 `#define RXV_SPIN_CONN_MINID 0x01`

lowest known connection type

##### 5.3.2.4 `#define RXV_SPIN_CONN_MAXID 0x3F`

highest known connection type

##### 5.3.2.5 `#define RXV_SPIN_CONN_FOREIGN 0x40`

foreign connection type

##### 5.3.2.6 `#define RXV_SPIN_CONN_POOLED 0x80`

connection pooled flag

**5.3.2.7** `#define RXV_SPIN_CONN_IS_PGSQL(c) (((c) → type)&RXV_SPIN_CONN_MAXID)==RXV_SPIN_CONN_PGSQL)`

check if this connection is of PostgreSQL type

**5.3.2.8** `#define RXV_SPIN_CONN_IS_MYSQL(c) (((c) → type)&RXV_SPIN_CONN_MAXID)==RXV_SPIN_CONN_MYSQL)`

check if this connection is of MySQL type

**5.3.2.9** `#define RXV_SPIN_CONN_IS_FOREIGN(c) (((c) → type)&RXV_SPIN_CONN_FOREIGN)`

check if this connection is of MySQL type

**5.3.2.10** `#define RXV_SPIN_CONN_IS_POOLED(c) (((c) → type)&RXV_SPIN_CONN_POOLED)`

check if this connection is pooled

### 5.3.3 Typedef Documentation

**5.3.3.1** `typedef struct rxv_spin_conn rxv_spin_conn_t`

connection type

**5.3.3.2** `typedef struct rxv_spin_cpool rxv_spin_cpool_t`

connection pool type

### 5.3.4 Function Documentation

**5.3.4.1** `rxv_spin_cpool_t* rxv_spin_cpool_create (apr_pool_t *pool)`

Create a connection pool. Connection strings used to search for open connections within the pool are treated as case sensitive and they consist of the actual connection string preceded by the type (a single character).

#### Parameters:

*pool* Memory pool used for allocation

#### Returns:

pointer to the new connection pool, NULL on error

#### Example:

```
cpool=rxv_spin_cpool_create(p);
```

#### Remarks:

This function is not normally called from the application, even when connection pools are used. Connection pool creation and cleanup is performed automatically by `mod_spin`. If you decide to manage you own connection pools, you will need this function.

**IMPORTANT:**

The code of `mod_spin` calls this function to create one connection pool for each thread of Apache. If you call `apr_proc_create()` to run a new process from within any `mod_spin` applications, registered child cleanup function will close all connections and remove them from the pool before the new process is executed inside the forked one. This equally applies to the connection pools created by you.

**5.3.4.2 rxv\_spin\_conn\_t\* rxv\_spin\_cpool\_get (apr\_pool\_t \* pool, rxv\_spin\_cpool\_t \* cpool, const char \* conninfo)**

Get a registered connection of foreign type from the connection pool.

**Parameters:**

*pool* Memory pool for temporary allocations  
*cpool* Connection pool  
*conninfo* Connection string for this connection

**Returns:**

Pointer to the connection or NULL if not found

**Example:**

```
rxv_spin_cpool_get (ctx->pool, ctx->cpool,  
                  "ldap://ldap.example.com/dc=example,dc=com");
```

**5.3.4.3 rxv\_spin\_conn\_t\* rxv\_spin\_cpool\_set (rxv\_spin\_cpool\_t \* cpool, const char \* conninfo, void \* conn, apr\_status\_t(\*) (void \*data) cleanup)**

Register a connection of foreign type with the connection pool.

**Parameters:**

*cpool* Connection pool  
*conninfo* Connection string for this connection  
*conn* Connection pointer  
*cleanup* Cleanup function to call on pool destruction

**Returns:**

Pointer to the connection, NULL on error

**Example:**

```
rxv_spin_cpool_set (ctx->cpool, "ldap://ldap.example.com/dc=example,dc=com",  
                  ldapconn, ldap_cleanup);
```

**Remarks:**

This function will register the connection even if the connection with the same key already exists. This may lead to multiple cleanup functions being registered for the same connection and eventually segfaults. Use [rxv\\_spin\\_cpool\\_get\(\)](#) function to verify if the connection was registered before.

**IMPORTANT:**

The cleanup function **MUST** remove the connection from the hash table holding all pooled connections. Failing that, the next time such connection is requested, an invalid connection structure will be passed to the application, causing an almost certain segfault. See `db_clean()` function in `mod_spin` source (file `db.c`) for an example.

**IMPORTANT:**

The lifetime of the connection and all other variables passed into this function has to be at least the lifetime of the connection pool you are registering the connection with. Normally, connection pools have thread lifetime, so if you have shorter lifetime for your connection (e.g. request, connection), you are setting yourself up for segfaults. Also, if the lifetime of the connection is longer than the one of the connection pool, for instance, if it has the lifetime of the process and you are registering it with the regular thread based connection pool, you may experience segfaults if you rely on that connection once the thread exited. If you are managing your own connection pool, same issues apply, except for the fact that you control the lifetime of the connection pool, rather than `mod_spin`.

**5.3.4.4 `apr_status_t rxv_spin_conn_close (rxv_spin_conn_t * conn)`**

Close a connection and remove it from the pool.

**Parameters:**

*conn* Connection

**Returns:**

APR\_SUCCESS on success, otherwise an error

**Example:**

```
rxv_spin_conn_close(conn);
```

**Remarks:**

This function may be useful for explicit termination of pooled or non-pooled connections, especially if you're managing your own connection pools. If pooled connections aren't used, the connection will be closed anyway during the temporary pool cleanup (first argument to `rxv_spin_db_connect()`).

## 5.4 Database functions

**Data Structures**

- struct `rxv_spin_db_result`  
*Database result structure.*

**Defines**

- #define `RXV_SPIN_DB_INFO_DB` 0x01
- #define `RXV_SPIN_DB_INFO_USER` 0x02
- #define `RXV_SPIN_DB_INFO_PASS` 0x03
- #define `RXV_SPIN_DB_INFO_HOST` 0x04

- `#define RXV_SPIN_DB_INFO_PORT 0x05`
- `#define RXV_SPIN_DB_INFO_TTY 0x06`
- `#define RXV_SPIN_DB_INFO_OPTIONS 0x07`
- `#define RXV_SPIN_DB_INFO_ERROR 0x08`
- `#define rxv_spin_db_db(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_DB)`
- `#define rxv_spin_db_user(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_USER)`
- `#define rxv_spin_db_pass(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_PASS)`
- `#define rxv_spin_db_host(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_HOST)`
- `#define rxv_spin_db_port(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_PORT)`
- `#define rxv_spin_db_tty(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_TTY)`
- `#define rxv_spin_db_options(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_OPTIONS)`
- `#define rxv_spin_db_error(conn) rxv_spin_db_info((conn),RXV_SPIN_DB_INFO_ERROR)`

### Typedefs

- `typedef struct rxv_spin_db_result rxv_spin_db_result_t`

### Functions

- `rxv_spin_conn_t * rxv_spin_db_connect` (`apr_pool_t *pool`, `rxv_spin_cpool_t *cpool`, `const char *conninfo`, unsigned char type)
- `rxv_spin_db_result_t * rxv_spin_db_exec` (`apr_pool_t *pool`, `rxv_spin_conn_t *conn`, `const char *query`)
- `char * rxv_spin_db_info` (`rxv_spin_conn_t *conn`, unsigned char what)
- `apr_status_t rxv_spin_db_status` (`rxv_spin_conn_t *conn`)
- `char * rxv_spin_db_escape` (`apr_pool_t *pool`, `rxv_spin_conn_t *conn`, `const char *str`)
- `apr_status_t rxv_spin_db_reset` (`rxv_spin_conn_t *conn`)

#### 5.4.1 Detailed Description

Database functions (mod\_spin API)

#### 5.4.2 Define Documentation

##### 5.4.2.1 `#define RXV_SPIN_DB_INFO_DB 0x01`

database name

##### 5.4.2.2 `#define RXV_SPIN_DB_INFO_USER 0x02`

database user

##### 5.4.2.3 `#define RXV_SPIN_DB_INFO_PASS 0x03`

database password

##### 5.4.2.4 `#define RXV_SPIN_DB_INFO_HOST 0x04`

database host

**5.4.2.5 #define RXV\_SPIN\_DB\_INFO\_PORT 0x05**

database port

**5.4.2.6 #define RXV\_SPIN\_DB\_INFO\_TTY 0x06**

database tty

**5.4.2.7 #define RXV\_SPIN\_DB\_INFO\_OPTIONS 0x07**

database options

**5.4.2.8 #define RXV\_SPIN\_DB\_INFO\_ERROR 0x08**

database error

**5.4.2.9 #define rxv\_spin\_db\_db(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_DB)**

get name

**5.4.2.10 #define rxv\_spin\_db\_user(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_USER)**

get user

**5.4.2.11 #define rxv\_spin\_db\_pass(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_PASS)**

get password

**5.4.2.12 #define rxv\_spin\_db\_host(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_HOST)**

get host

**5.4.2.13 #define rxv\_spin\_db\_port(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_PORT)**

get port

**5.4.2.14 #define rxv\_spin\_db\_tty(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_TTY)**

get tty

**5.4.2.15 #define rxv\_spin\_db\_options(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_OPTIONS)**

get options

**5.4.2.16 #define rxv\_spin\_db\_error(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_ERROR)**

get error



### 5.4.3 Typedef Documentation

#### 5.4.3.1 typedef struct rxv\_spin\_db\_result rxv\_spin\_db\_result\_t

database query result type

### 5.4.4 Function Documentation

#### 5.4.4.1 rxv\_spin\_conn\_t\* rxv\_spin\_db\_connect (apr\_pool\_t \* *pool*, rxv\_spin\_cpool\_t \* *cpool*, const char \* *conninfo*, unsigned char *type*)

Connect to a database and optionally pool the connection.

##### Parameters:

*pool* Memory pool used for memory allocations

*cpool* Connection pool

*conninfo* Connection string

*type* Database type

##### Returns:

pointer to a database connection, NULL on error

##### Example:

```
rxv_spin_db_connect (ctx->pool, NULL, "dbname=spintest", RXV_SPIN_DB_PGSQL);  
  
rxv_spin_db_connect (ctx->pool, ctx->cpool, "dbname=spintest", RXV_SPIN_DB_MYSQL);
```

##### Remarks:

If connection pooling isn't used, the cpool parameter has to be set to NULL. The pool parameter has to point to a valid APR memory pool. If pooled connections aren't used, the connection will be closed on pool (the first argument) cleanup. Meaning, if you want custom lifetime of the connection, create your own memory pool and then destroy it when you don't need the database connection any more.

##### IMPORTANT:

Alywas use relevant macros (such as [RXV\\_SPIN\\_CONN\\_IS\\_PGSQL\(c\)](#)) to enquire about the type of the connection, because the type is an unsigned char that is a combination of various binary data, including the database type and connection pooled flag.

##### IMPORTANT:

This function takes connection string in the form defined by PostgreSQL manual. In fact, the code for the string parsing (for databases other than PostgreSQL) has been directly lifted from PostgreSQL version 7.4.1. However, when used with database types other than PostgreSQL, not all keywords are supported. Namely, for use with MySQL, you can only use "host", "port", "dbname", "user" and "password". Anything else will cause errors.

#### 5.4.4.2 rxv\_spin\_db\_result\_t\* rxv\_spin\_db\_exec (apr\_pool\_t \* *pool*, rxv\_spin\_conn\_t \* *conn*, const char \* *query*)

Execute a database query of any type.

**Parameters:**

*pool* Pool used for memory allocation

*conn* Database connection

*query* SQL query to be performed

**Returns:**

Valid rxv\_spin\_db\_result\_t pointer, NULL on error

**Example:**

```
result=rxv_spin_db_exec(ctx->pool,conn,"select * from spintest");
```

**Remarks:**

Depending on the nature of the query, result->data may be NULL. Only SELECT and similar queries that return tuples (rows) will have this member non-NULL. To verify if the query finished successfully, use result->status.

**5.4.4.3 char\* rxv\_spin\_db\_info (rxv\_spin\_conn\_t \* conn, unsigned char what)**

Get various info about the database connection.

**Parameters:**

*conn* Database connection

*what* The type of information to get

**Returns:**

string with the desired info, NULL on error

**Example:**

```
rxv_spin_db_info(conn);
```

**Remarks:**

You can use either this function or defined macros to get specific information about this database connection. Note that some database APIs won't provide all information. In that case, an empty string might be returned.

**5.4.4.4 apr\_status\_t rxv\_spin\_db\_status (rxv\_spin\_conn\_t \* conn)**

Get the status of the connection.

**Parameters:**

*conn* Database connection

**Returns:**

APR\_SUCCESS if OK, otherwise an error

**Example:**

```
rxv_spin_db_status(conn);
```

**5.4.4.5 char\* rxv\_spin\_db\_escape (apr\_pool\_t \* pool, rxv\_spin\_conn\_t \* conn, const char \* str)**

Escape a string for use within an SQL query.

**Parameters:**

*pool* Pool used for memory allocation

*conn* Database connection

*str* string to be escaped

**Returns:**

Pointer to escaped string, NULL on error

**Example:**

```
escstr=rxv_spin_db_escape(ctx->pool,conn,"A string to escape");
```

**Remarks:**

The connection pointer is used to determine database type and therefore use the correct, database specific escaping function. MySQL needs a pointer to the connection in order to determine the correct character set. Therefore the second argument must be a valid connection pointer. The underlying database specific functions have slightly different behaviour, depending on the database being used. Check in the relevant manual for differences.

**5.4.4.6 apr\_status\_t rxv\_spin\_db\_reset (rxv\_spin\_conn\_t \* conn)**

Reset a database connection (i.e. attempt to reconnect).

**Parameters:**

*conn* Database connection to reset

**Returns:**

APR\_SUCCESS on success, otherwise an error

**Example:**

```
rxv_spin_db_reset(conn);
```

**Remarks:**

This function is not normally called from the application. Reset is performed automatically by mod\_spin if the connection is down. However, you may choose to use this function in same rare cases.

**5.5 Application and session functions****Defines**

- #define **rxv\_spin\_app\_strget**(ctx, key) rxv\_spin\_single\_get(rxv\_spin\_app\_get((ctx),(key)))
- #define **rxv\_spin\_app\_strset**(ctx, key, val) rxv\_spin\_app\_set((ctx),(key),rxv\_spin\_single((ctx) → pool,(val)))
- #define **rxv\_spin\_ses\_strget**(ctx, key) rxv\_spin\_single\_get(rxv\_spin\_ses\_get((ctx),(key)))
- #define **rxv\_spin\_ses\_strset**(ctx, key, val) rxv\_spin\_ses\_set((ctx),(key),rxv\_spin\_single((ctx) → pool,(val)))

## Functions

- `rxv_spin_data_t * rxv_spin_app_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_app_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *val)`
- `apr_status_t rxv_spin_app_del (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ses_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ses_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *val)`
- `apr_status_t rxv_spin_ses_del (rxv_spin_context_t *ctx, const char *key)`
- `char * rxv_spin_ses_idget (rxv_spin_context_t *ctx)`
- `int rxv_spin_ses_valid (rxv_spin_context_t *ctx)`

### 5.5.1 Detailed Description

Application and session functions (mod\_spin API)

### 5.5.2 Define Documentation

#### 5.5.2.1 `#define rxv_spin_app_strget(ctx, key) rxv_spin_single_get(rxv_spin_app_get((ctx),(key)))`

get a string from application instead of single

#### 5.5.2.2 `#define rxv_spin_app_strset(ctx, key, val) rxv_spin_app_set((ctx),(key),rxv_spin_single((ctx) → pool,(val)))`

set string into application instead of single

#### 5.5.2.3 `#define rxv_spin_ses_strget(ctx, key) rxv_spin_single_get(rxv_spin_ses_get((ctx),(key)))`

get a string from session instead of single

#### 5.5.2.4 `#define rxv_spin_ses_strset(ctx, key, val) rxv_spin_ses_set((ctx),(key),rxv_spin_single((ctx) → pool,(val)))`

set string into application instead of single

### 5.5.3 Function Documentation

#### 5.5.3.1 `rxv_spin_data_t* rxv_spin_app_get (rxv_spin_context_t * ctx, const char * key)`

Retrieve a value from the application database.

#### Parameters:

*ctx* Context

*key* Unique key by which this value is identified

#### Returns:

pointer to a copy of the value, NULL on error

**Example:**

```
rxv_spin_app_get(ctx, "some application key");
```

**5.5.3.2 rxv\_spin\_data\_t\* rxv\_spin\_app\_set (rxv\_spin\_context\_t \* ctx, const char \* key, rxv\_spin\_data\_t \* val)**

Put value in the application database.

**Parameters:**

*ctx* Context  
*key* Unique key by which this value is identified  
*val* Value to be placed in the database (single)

**Returns:**

pointer to the value, NULL on error

**Example:**

```
rxv_spin_app_set(ctx, "some application key",  
                rxv_spin_str_single(ctx->pool, "some application value"));
```

**5.5.3.3 apr\_status\_t rxv\_spin\_app\_del (rxv\_spin\_context\_t \* ctx, const char \* key)**

Delete a record in the application database.

**Parameters:**

*ctx* Context  
*key* Unique key by which record is identified

**Returns:**

APR\_SUCCESS on success, otherwise an error

**Example:**

```
rxv_spin_app_del(ctx, "some application key");
```

**Remarks:**

It is not an error to delete and non-existent record.

**5.5.3.4 rxv\_spin\_data\_t\* rxv\_spin\_ses\_get (rxv\_spin\_context\_t \* ctx, const char \* key)**

Retrieve a value from the session database.

**Parameters:**

*ctx* Context  
*key* Unique key by which this value is identified

**Returns:**

pointer to a copy of the value, NULL on error

**Example:**

```
rxv_spin_app_get(ctx, "some session key");
```

**5.5.3.5 rxv\_spin\_data\_t\* rxv\_spin\_ses\_set (rxv\_spin\_context\_t \* ctx, const char \* key, rxv\_spin\_data\_t \* val)**

Put value in the session database.

**Parameters:**

*ctx* Context

*key* Unique key by which this value is identified

*val* Value to be placed in the database (single)

**Returns:**

pointer to a copy of the value, NULL on error

**Example:**

```
rxv_spin_app_set(ctx, "some session key",  
                rxv_spin_str_single(ctx->pool, "some session value"));
```

**5.5.3.6 apr\_status\_t rxv\_spin\_ses\_del (rxv\_spin\_context\_t \* ctx, const char \* key)**

Delete a record in the session database.

**Parameters:**

*ctx* Context

*key* Unique key by which record is identified

**Returns:**

APR\_SUCCESS on success, otherwise an error

**Example:**

```
rxv_spin_ses_del(ctx, "some session key");
```

**Remarks:**

It is not an error to delete and non-existent record.

**5.5.3.7 char\* rxv\_spin\_ses\_idget (rxv\_spin\_context\_t \* ctx)**

Get session id

**Parameters:**

*ctx* Context

**Returns:**

Session id or NULL if no session support exists

**Example:**

```
rxv_spin_ses_idget(ctx);
```

**Remarks:**

This function fetches a string representation of the session id, which draws its origin from `mod_unique_id`. If `mod_unique_id` isn't present in Apache, this function returns NULL. Note that the fact that one can get a session id does not mean that there is a valid session in existence (that is to say, that the client accepted the session). Use [rxv\\_spin\\_ses\\_valid\(\)](#) function to find that out.

**5.5.3.8 int rxv\_spin\_ses\_valid (rxv\_spin\_context\_t \* ctx)**

Find out if the session is valid.

**Parameters:**

*ctx* Context

**Returns:**

1 if valid, otherwise 0

**Example:**

```
rxv_spin_ses_valid(ctx);
```

**Remarks:**

If the client accepted this session, this function returns 1. This will only be true if the client submitted a valid session id and its relevant hash to `mod_spin`. Also, the session will not be considered valid if there are path tricks in the session id (this is unlikely to happen, due to hash checking, but nevertheless).

**5.6 Service function****Typedefs**

- typedef int(\* [rxv\\_spin\\_service\\_t](#))([rxv\\_spin\\_context\\_t](#) \*context)

**5.6.1 Detailed Description**

Service function (mod\_spin API)

**5.6.2 Typedef Documentation****5.6.2.1 typedef int(\* rxv\_spin\_service\_t)(rxv\_spin\_context\_t \*context)**

service function

## 6 mod\_spin Data Structure Documentation

### 6.1 rxv\_spin\_conn Struct Reference

Connection structure.

```
#include <rxv_spin.h>
```

#### Data Fields

- unsigned char [type](#)
- char \* [cinfo](#)
- union {
  - PGconn \* [pgconn](#)
  - MYSQL \* [myconn](#)
  - void \* [conn](#)
- };
- union {
  - [rxv\\_spin\\_cpool\\_t](#) \* [cpool](#)
  - [apr\\_pool\\_t](#) \* [pool](#)
- };
- [apr\\_status\\_t](#)(\* [cleanup](#))(void \*data)

#### 6.1.1 Detailed Description

Connection structure.

#### 6.1.2 Field Documentation

##### 6.1.2.1 unsigned char rxv\_spin\_conn::type

connection type: PostgreSQL, MySQL (also pooled or not) etc., use the macros to find out

##### 6.1.2.2 char\* rxv\_spin\_conn::cinfo

full connection identification string: type + connect string

##### 6.1.2.3 PGconn\* rxv\_spin\_conn::pgconn

PostgreSQL specific connection

##### 6.1.2.4 MYSQL\* rxv\_spin\_conn::myconn

MySQL specific connection

##### 6.1.2.5 void\* rxv\_spin\_conn::conn

generic or foreign connection



**6.1.2.6 union { ... }**

unnamed

**6.1.2.7 rxv\_spin\_cpool\_t\* rxv\_spin\_conn::cpool**

the pool of connections for this connection

**6.1.2.8 apr\_pool\_t\* rxv\_spin\_conn::pool**

memory pool we registered the cleanup with, if pooled connections aren't used

**6.1.2.9 union { ... }**

unnamed

**6.1.2.10 apr\_status\_t(\* rxv\_spin\_conn::cleanup)(void \*data)**

cleanup function

The documentation for this struct was generated from the following file:

- [spin/rxv\\_spin.h](#)

**6.2 rxv\_spin\_context Struct Reference**

Context structure.

#include &lt;rxv\_spin.h&gt;

**Data Fields**

- request\_rec \* [r](#)
- apr\_pool\_t \* [pool](#)
- rxv\_spin\_data\_t \* [data](#)
- apreq\_handle\_t \* [req](#)
- rxv\_spin\_cpool\_t \* [cpool](#)
- void \* [guts](#)
- void \* [extra](#)

**6.2.1 Detailed Description**

Context structure.

**6.2.2 Field Documentation****6.2.2.1 request\_rec\* rxv\_spin\_context::r**

raw request

**6.2.2.2 apr\_pool\_t\* rxv\_spin\_context::pool**

memory pool used by the context

**6.2.2.3 rxv\_spin\_data\_t\* rxv\_spin\_context::data**

data produced by the application

**6.2.2.4 apreq\_handle\_t\* rxv\_spin\_context::req**

apreq handle for cookies and parameters

**6.2.2.5 rxv\_spin\_cpool\_t\* rxv\_spin\_context::cpool**

pool of connections

**6.2.2.6 void\* rxv\_spin\_context::guts**

private data used internally by mod\_spin

**6.2.2.7 void\* rxv\_spin\_context::extra**

data you may want to place in context

The documentation for this struct was generated from the following file:

- [spin/rxv\\_spin.h](#)

## 6.3 rxv\_spin\_cpool Struct Reference

Connection pool structure.

```
#include <rxv_spin.h>
```

### Data Fields

- `apr_pool_t *` [pool](#)
- `apr_hash_t *` [conns](#)

### 6.3.1 Detailed Description

Connection pool structure.

### 6.3.2 Field Documentation

**6.3.2.1 apr\_pool\_t\* rxv\_spin\_cpool::pool**

pool used for all allocations

### 6.3.2.2 apr\_hash\_t\* rxv\_spin\_cpool::conns

hash table of connections

The documentation for this struct was generated from the following file:

- spin/[rxv\\_spin.h](#)

## 6.4 rxv\_spin\_data Struct Reference

Data structure.

```
#include <rxv_spin.h>
```

### Data Fields

- unsigned char [type](#)
- size\_t [size](#)
- union {
  - apr\_hash\_t \* [cols](#)
  - char \* [data](#)
  - rxv\_spin\_data\_t \* [meta](#)
  - void \* [both](#)

### 6.4.1 Detailed Description

Data structure.

### 6.4.2 Field Documentation

#### 6.4.2.1 unsigned char rxv\_spin\_data::type

data type

#### 6.4.2.2 size\_t rxv\_spin\_data::size

string size or number of rows

#### 6.4.2.3 apr\_hash\_t\* rxv\_spin\_data::cols

columns of the data type rows

#### 6.4.2.4 char\* rxv\_spin\_data::data

actual data

#### 6.4.2.5 rxv\_spin\_data\_t\* rxv\_spin\_data::meta

metadata (i.e. pointer to an array)

#### 6.4.2.6 void\* rxv\_spin\_data::both

when we need to test both cols & data at once

#### 6.4.2.7 union { ... }

unnamed

The documentation for this struct was generated from the following file:

- [spin/rxv\\_spin.h](#)

## 6.5 rxv\_spin\_db\_result Struct Reference

Database result structure.

```
#include <rxv_spin.h>
```

### Data Fields

- [apr\\_status\\_t status](#)
- [char \\* error](#)
- [rxv\\_spin\\_data\\_t \\* data](#)

### 6.5.1 Detailed Description

Database result structure.

### 6.5.2 Field Documentation

#### 6.5.2.1 [apr\\_status\\_t rxv\\_spin\\_db\\_result::status](#)

APR\_SUCCESS when all is cool

#### 6.5.2.2 [char\\* rxv\\_spin\\_db\\_result::error](#)

descriptive error or NULL

#### 6.5.2.3 [rxv\\_spin\\_data\\_t\\* rxv\\_spin\\_db\\_result::data](#)

results returned or NULL

The documentation for this struct was generated from the following file:

- [spin/rxv\\_spin.h](#)

## 7 mod\_spin File Documentation

### 7.1 spin/rxv\_spin.h File Reference

mod\_spin data structures and functions

```
#include <stdio.h>
#include <stdlib.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <unistd.h>
#include <sys/types.h>
#include <apr.h>
#include <apr_general.h>
#include <apr_strings.h>
#include <apr_lib.h>
#include <apr_pools.h>
#include <apr_buckets.h>
#include <apr_hash.h>
#include <apr_file_io.h>
#include <apr_portable.h>
#include <apr_time.h>
#include <apr_sdbm.h>
#include <apr_md5.h>
#include <apr_base64.h>
#include <apreq_param.h>
#include <apreq_cookie.h>
#include <apreq_module_apache2.h>
#include <http_request.h>
#include <libxml/parser.h>
#include <libxml/tree.h>
#include <libpq-fe.h>
#include <mysql.h>
```

## Data Structures

- struct [rxv\\_spin\\_data](#)  
*Data structure.*
- struct [rxv\\_spin\\_context](#)  
*Context structure.*
- struct [rxv\\_spin\\_conn](#)  
*Connection structure.*

- struct [rxv\\_spin\\_cpool](#)  
*Connection pool structure.*
- struct [rxv\\_spin\\_db\\_result](#)  
*Database result structure.*

## Defines

- #define [RXV\\_SPIN\\_DATA\\_SGL](#) 0x01
- #define [RXV\\_SPIN\\_DATA\\_RWS](#) 0x02
- #define [RXV\\_SPIN\\_DATA\\_MTA](#) 0xFF
- #define [RXV\\_SPIN\\_TRIM\\_LEFT](#) 0x01
- #define [RXV\\_SPIN\\_TRIM\\_RIGHT](#) 0x02
- #define [rxv\\_spin\\_single\\_trimboth](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_single\\_trimleft](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))
- #define [rxv\\_spin\\_single\\_trimright](#)(s) rxv\_spin\_single\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_column\\_del](#)(rows, key) rxv\_spin\_column\_set((rows),(key),NULL)
- #define [rxv\\_spin\\_str\\_trimboth](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT|RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_str\\_trimleft](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_LEFT))
- #define [rxv\\_spin\\_str\\_trimright](#)(s) rxv\_spin\_str\_trim((s),(RXV\_SPIN\_TRIM\_RIGHT))
- #define [rxv\\_spin\\_ctx\\_strget](#)(ctx, key) rxv\_spin\_single\_get(rxv\_spin\_ctx\_get((ctx),(key)))
- #define [rxv\\_spin\\_ctx\\_strset](#)(ctx, key, val) rxv\_spin\_ctx\_set((ctx),(key),rxv\_spin\_single((ctx) → pool,(val)))
- #define [rxv\\_spin\\_ctx\\_del](#)(ctx, key) rxv\_spin\_ctx\_set((ctx),(key),NULL)
- #define [rxv\\_spin\\_app\\_strget](#)(ctx, key) rxv\_spin\_single\_get(rxv\_spin\_app\_get((ctx),(key)))
- #define [rxv\\_spin\\_app\\_strset](#)(ctx, key, val) rxv\_spin\_app\_set((ctx),(key),rxv\_spin\_single((ctx) → pool,(val)))
- #define [rxv\\_spin\\_ses\\_strget](#)(ctx, key) rxv\_spin\_single\_get(rxv\_spin\_ses\_get((ctx),(key)))
- #define [rxv\\_spin\\_ses\\_strset](#)(ctx, key, val) rxv\_spin\_ses\_set((ctx),(key),rxv\_spin\_single((ctx) → pool,(val)))
- #define [RXV\\_SPIN\\_CONN\\_PGSQL](#) 0x01
- #define [RXV\\_SPIN\\_CONN\\_MYSQL](#) 0x02
- #define [RXV\\_SPIN\\_CONN\\_MINID](#) 0x01
- #define [RXV\\_SPIN\\_CONN\\_MAXID](#) 0x3F
- #define [RXV\\_SPIN\\_CONN\\_FOREIGN](#) 0x40
- #define [RXV\\_SPIN\\_CONN\\_POOLED](#) 0x80
- #define [RXV\\_SPIN\\_CONN\\_IS\\_PGSQL](#)(c) (((c) → type)&RXV\_SPIN\_CONN\_MAXID)==RXV\_SPIN\_CONN\_PGSQL)
- #define [RXV\\_SPIN\\_CONN\\_IS\\_MYSQL](#)(c) (((c) → type)&RXV\_SPIN\_CONN\_MAXID)==RXV\_SPIN\_CONN\_MYSQL)
- #define [RXV\\_SPIN\\_CONN\\_IS\\_FOREIGN](#)(c) (((c) → type)&RXV\_SPIN\_CONN\_FOREIGN)
- #define [RXV\\_SPIN\\_CONN\\_IS\\_POOLED](#)(c) (((c) → type)&RXV\_SPIN\_CONN\_POOLED)
- #define [RXV\\_SPIN\\_DB\\_INFO\\_DB](#) 0x01
- #define [RXV\\_SPIN\\_DB\\_INFO\\_USER](#) 0x02
- #define [RXV\\_SPIN\\_DB\\_INFO\\_PASS](#) 0x03
- #define [RXV\\_SPIN\\_DB\\_INFO\\_HOST](#) 0x04
- #define [RXV\\_SPIN\\_DB\\_INFO\\_PORT](#) 0x05

- #define [RXV\\_SPIN\\_DB\\_INFO\\_TTY](#) 0x06
- #define [RXV\\_SPIN\\_DB\\_INFO\\_OPTIONS](#) 0x07
- #define [RXV\\_SPIN\\_DB\\_INFO\\_ERROR](#) 0x08
- #define [rxv\\_spin\\_db\\_db](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_DB)
- #define [rxv\\_spin\\_db\\_user](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_USER)
- #define [rxv\\_spin\\_db\\_pass](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_PASS)
- #define [rxv\\_spin\\_db\\_host](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_HOST)
- #define [rxv\\_spin\\_db\\_port](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_PORT)
- #define [rxv\\_spin\\_db\\_tty](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_TTY)
- #define [rxv\\_spin\\_db\\_options](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_OPTIONS)
- #define [rxv\\_spin\\_db\\_error](#)(conn) rxv\_spin\_db\_info((conn),RXV\_SPIN\_DB\_INFO\_ERROR)

## Typedefs

- typedef struct rxv\_spin\_data rxv\_spin\_data\_t
- typedef struct rxv\_spin\_context rxv\_spin\_context\_t
- typedef rxv\_spin\_context\_t rxv\_spin\_ctx\_t
- typedef struct rxv\_spin\_conn rxv\_spin\_conn\_t
- typedef struct rxv\_spin\_cpool rxv\_spin\_cpool\_t
- typedef struct rxv\_spin\_db\_result rxv\_spin\_db\_result\_t
- typedef int(\* rxv\_spin\_service\_t)(rxv\_spin\_context\_t \*context)

## Functions

- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single](#) (apr\_pool\_t \*pool, const char \*str)
- [char \\* rxv\\_spin\\_single\\_get](#) (rxv\_spin\_data\_t \*single)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_set](#) (rxv\_spin\_data\_t \*single, const char \*str)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_mem](#) (apr\_pool\_t \*pool, const char \*str, size\_t size)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_memset](#) (rxv\_spin\_data\_t \*single, const char \*str, size\_t size)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_tolower](#) (rxv\_spin\_data\_t \*single)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_toupper](#) (rxv\_spin\_data\_t \*single)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_single\\_trim](#) (rxv\_spin\_data\_t \*single, unsigned char what)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta](#) (apr\_pool\_t \*pool,...)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_vstr](#) (apr\_pool\_t \*pool,...)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_parse](#) (apr\_pool\_t \*pool, char \*str, const char \*sep)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_empty](#) (apr\_pool\_t \*pool, size\_t size)
- [apr\\_hash\\_t \\* rxv\\_spin\\_meta\\_hash](#) (apr\_pool\_t \*pool, rxv\_spin\_data\_t \*data)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_mark](#) (rxv\_spin\_data\_t \*data, size\_t element)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_markeach](#) (rxv\_spin\_data\_t \*data, size\_t off, size\_t step)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_meta\\_select](#) (rxv\_spin\_data\_t \*data, rxv\_spin\_data\_t \*select, apr\_hash\_t \*hash)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_rows](#) (apr\_pool\_t \*pool,...)
- [apr\\_hash\\_t \\* rxv\\_spin\\_rows\\_hash](#) (apr\_pool\_t \*pool, rxv\_spin\_data\_t \*rows, const char \*column)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_rows\\_mark](#) (rxv\_spin\_data\_t \*rows, const char \*column, size\_t element)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_rows\\_markeach](#) (rxv\_spin\_data\_t \*rows, const char \*column, size\_t off, size\_t step)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_rows\\_select](#) (rxv\_spin\_data\_t \*rows, rxv\_spin\_data\_t \*select, const char \*column, const char \*marker, apr\_hash\_t \*hash)
- [rxv\\_spin\\_data\\_t \\* rxv\\_spin\\_column\\_get](#) (apr\_pool\_t \*pool, rxv\_spin\_data\_t \*rows, const char \*key)

- `rxv_spin_data_t * rxv_spin_column_set (rxv_spin_data_t *rows, const char *key, rxv_spin_data_t *column)`
- `rxv_spin_data_t * rxv_spin_resize (apr_pool_t *pool, rxv_spin_data_t *data, size_t size)`
- `rxv_spin_data_t * rxv_spin_copy (apr_pool_t *pool, rxv_spin_data_t *data)`
- `char * rxv_spin_str_tolower (const char *str)`
- `char * rxv_spin_str_toupper (const char *str)`
- `char * rxv_spin_str_trim (char *str, unsigned char what)`
- `rxv_spin_data_t * rxv_spin_ctx_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ctx_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *value)`
- `rxv_spin_data_t * rxv_spin_app_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_app_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *val)`
- `apr_status_t rxv_spin_app_del (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ses_get (rxv_spin_context_t *ctx, const char *key)`
- `rxv_spin_data_t * rxv_spin_ses_set (rxv_spin_context_t *ctx, const char *key, rxv_spin_data_t *val)`
- `apr_status_t rxv_spin_ses_del (rxv_spin_context_t *ctx, const char *key)`
- `char * rxv_spin_ses_idget (rxv_spin_context_t *ctx)`
- `int rxv_spin_ses_valid (rxv_spin_context_t *ctx)`
- `rxv_spin_conn_t * rxv_spin_db_connect (apr_pool_t *pool, rxv_spin_cpool_t *cpool, const char *conninfo, unsigned char type)`
- `rxv_spin_db_result_t * rxv_spin_db_exec (apr_pool_t *pool, rxv_spin_conn_t *conn, const char *query)`
- `char * rxv_spin_db_info (rxv_spin_conn_t *conn, unsigned char what)`
- `apr_status_t rxv_spin_db_status (rxv_spin_conn_t *conn)`
- `char * rxv_spin_db_escape (apr_pool_t *pool, rxv_spin_conn_t *conn, const char *str)`
- `apr_status_t rxv_spin_db_reset (rxv_spin_conn_t *conn)`
- `rxv_spin_cpool_t * rxv_spin_cpool_create (apr_pool_t *pool)`
- `rxv_spin_conn_t * rxv_spin_cpool_get (apr_pool_t *pool, rxv_spin_cpool_t *cpool, const char *conninfo)`
- `rxv_spin_conn_t * rxv_spin_cpool_set (rxv_spin_cpool_t *cpool, const char *conninfo, void *conn, apr_status_t(*cleanup)(void *data))`
- `apr_status_t rxv_spin_conn_close (rxv_spin_conn_t *conn)`

### 7.1.1 Detailed Description

mod\_spin data structures and functions



## Index

Application and session functions, [58](#)

both

rxv\_spin\_data, [66](#)

cinfo

rxv\_spin\_conn, [63](#)

cleanup

rxv\_spin\_conn, [63](#)

cols

rxv\_spin\_data, [66](#)

conn

rxv\_spin\_conn, [63](#)

Connection functions, [49](#)

conns

rxv\_spin\_cpool, [65](#)

Context functions, [46](#)

cpool

rxv\_spin\_conn, [63](#)

rxv\_spin\_context, [64](#)

data

rxv\_spin\_context, [64](#)

rxv\_spin\_data, [66](#)

rxv\_spin\_db\_result, [67](#)

Data manipulation functions, [34](#)

Database functions, [53](#)

error

rxv\_spin\_db\_result, [67](#)

extra

rxv\_spin\_context, [64](#)

guts

rxv\_spin\_context, [64](#)

meta

rxv\_spin\_data, [66](#)

myconn

rxv\_spin\_conn, [63](#)

pgconn

rxv\_spin\_conn, [63](#)

pool

rxv\_spin\_conn, [63](#)

rxv\_spin\_context, [64](#)

rxv\_spin\_cpool, [65](#)

r

rxv\_spin\_context, [64](#)

req

rxv\_spin\_context, [64](#)

rxv\_spin\_app\_del

rxv\_spin\_as\_functions, [59](#)

rxv\_spin\_app\_get

rxv\_spin\_as\_functions, [59](#)

rxv\_spin\_app\_set

rxv\_spin\_as\_functions, [59](#)

rxv\_spin\_app\_strget

rxv\_spin\_as\_functions, [58](#)

rxv\_spin\_app\_strset

rxv\_spin\_as\_functions, [58](#)

rxv\_spin\_as\_functions

rxv\_spin\_app\_del, [59](#)

rxv\_spin\_app\_get, [59](#)

rxv\_spin\_app\_set, [59](#)

rxv\_spin\_app\_strget, [58](#)

rxv\_spin\_app\_strset, [58](#)

rxv\_spin\_ses\_del, [60](#)

rxv\_spin\_ses\_get, [60](#)

rxv\_spin\_ses\_idget, [61](#)

rxv\_spin\_ses\_set, [60](#)

rxv\_spin\_ses\_strget, [59](#)

rxv\_spin\_ses\_strset, [59](#)

rxv\_spin\_ses\_valid, [61](#)

rxv\_spin\_column\_del

rxv\_spin\_data\_functions, [36](#)

rxv\_spin\_column\_get

rxv\_spin\_data\_functions, [44](#)

rxv\_spin\_column\_set

rxv\_spin\_data\_functions, [44](#)

rxv\_spin\_conn, [62](#)

cinfo, [63](#)

cleanup, [63](#)

conn, [63](#)

cpool, [63](#)

myconn, [63](#)

pgconn, [63](#)

pool, [63](#)

type, [63](#)

rxv\_spin\_conn\_close

rxv\_spin\_connection\_functions, [52](#)

RXV\_SPIN\_CONN\_FOREIGN

rxv\_spin\_connection\_functions, [50](#)

RXV\_SPIN\_CONN\_IS\_FOREIGN

rxv\_spin\_connection\_functions, [50](#)

RXV\_SPIN\_CONN\_IS\_MYSQL

rxv\_spin\_connection\_functions, [50](#)

RXV\_SPIN\_CONN\_IS\_PGSQL

rxv\_spin\_connection\_functions, [50](#)

RXV\_SPIN\_CONN\_IS\_POOLED

rxv\_spin\_connection\_functions, [50](#)

- RXV\_SPIN\_CONN\_MAXID
  - rxv\_spin\_connection\_functions, 50
- RXV\_SPIN\_CONN\_MINID
  - rxv\_spin\_connection\_functions, 50
- RXV\_SPIN\_CONN\_MYSQL
  - rxv\_spin\_connection\_functions, 49
- RXV\_SPIN\_CONN\_PGSQL
  - rxv\_spin\_connection\_functions, 49
- RXV\_SPIN\_CONN\_POOLED
  - rxv\_spin\_connection\_functions, 50
- rxv\_spin\_conn\_t
  - rxv\_spin\_connection\_functions, 50
- rxv\_spin\_connection\_functions
  - rxv\_spin\_conn\_close, 52
  - RXV\_SPIN\_CONN\_FOREIGN, 50
  - RXV\_SPIN\_CONN\_IS\_FOREIGN, 50
  - RXV\_SPIN\_CONN\_IS\_MYSQL, 50
  - RXV\_SPIN\_CONN\_IS\_PGSQL, 50
  - RXV\_SPIN\_CONN\_IS\_POOLED, 50
  - RXV\_SPIN\_CONN\_MAXID, 50
  - RXV\_SPIN\_CONN\_MINID, 50
  - RXV\_SPIN\_CONN\_MYSQL, 49
  - RXV\_SPIN\_CONN\_PGSQL, 49
  - RXV\_SPIN\_CONN\_POOLED, 50
  - rxv\_spin\_conn\_t, 50
  - rxv\_spin\_cpool\_create, 51
  - rxv\_spin\_cpool\_get, 51
  - rxv\_spin\_cpool\_set, 51
  - rxv\_spin\_cpool\_t, 50
- rxv\_spin\_context, 64
  - cpool, 64
  - data, 64
  - extra, 64
  - guts, 64
  - pool, 64
  - r, 64
  - req, 64
- rxv\_spin\_context\_functions
  - rxv\_spin\_context\_t, 47
  - rxv\_spin\_ctx\_del, 47
  - rxv\_spin\_ctx\_get, 48
  - rxv\_spin\_ctx\_set, 48
  - rxv\_spin\_ctx\_strget, 47
  - rxv\_spin\_ctx\_strset, 47
  - rxv\_spin\_ctx\_t, 47
- rxv\_spin\_context\_t
  - rxv\_spin\_context\_functions, 47
- rxv\_spin\_copy
  - rxv\_spin\_data\_functions, 45
- rxv\_spin\_cpool, 65
  - conns, 65
  - pool, 65
- rxv\_spin\_cpool\_create
  - rxv\_spin\_connection\_functions, 51
- rxv\_spin\_cpool\_get
  - rxv\_spin\_connection\_functions, 51
- rxv\_spin\_cpool\_set
  - rxv\_spin\_connection\_functions, 51
- rxv\_spin\_cpool\_t
  - rxv\_spin\_connection\_functions, 50
- rxv\_spin\_ctx\_del
  - rxv\_spin\_context\_functions, 47
- rxv\_spin\_ctx\_get
  - rxv\_spin\_context\_functions, 48
- rxv\_spin\_ctx\_set
  - rxv\_spin\_context\_functions, 48
- rxv\_spin\_ctx\_strget
  - rxv\_spin\_context\_functions, 47
- rxv\_spin\_ctx\_strset
  - rxv\_spin\_context\_functions, 47
- rxv\_spin\_ctx\_t
  - rxv\_spin\_context\_functions, 47
- rxv\_spin\_data, 65
  - both, 66
  - cols, 66
  - data, 66
  - meta, 66
  - size, 66
  - type, 66
- rxv\_spin\_data\_functions
  - rxv\_spin\_column\_del, 36
  - rxv\_spin\_column\_get, 44
  - rxv\_spin\_column\_set, 44
  - rxv\_spin\_copy, 45
  - RXV\_SPIN\_DATA\_MTA, 35
  - RXV\_SPIN\_DATA\_RWS, 35
  - RXV\_SPIN\_DATA\_SGL, 35
  - rxv\_spin\_data\_t, 36
  - rxv\_spin\_meta, 39
  - rxv\_spin\_meta\_empty, 40
  - rxv\_spin\_meta\_hash, 40
  - rxv\_spin\_meta\_mark, 41
  - rxv\_spin\_meta\_markeach, 41
  - rxv\_spin\_meta\_parse, 39
  - rxv\_spin\_meta\_select, 41
  - rxv\_spin\_meta\_vstr, 39
  - rxv\_spin\_resize, 44
  - rxv\_spin\_rows, 42
  - rxv\_spin\_rows\_hash, 42
  - rxv\_spin\_rows\_mark, 42
  - rxv\_spin\_rows\_markeach, 43
  - rxv\_spin\_rows\_select, 43
  - rxv\_spin\_single, 36
  - rxv\_spin\_single\_get, 36
  - rxv\_spin\_single\_mem, 37
  - rxv\_spin\_single\_memset, 37
  - rxv\_spin\_single\_set, 37
  - rxv\_spin\_single\_tolower, 38

- rxv\_spin\_single\_toupper, 38
- rxv\_spin\_single\_trim, 38
- rxv\_spin\_single\_trimboth, 35
- rxv\_spin\_single\_trimleft, 35
- rxv\_spin\_single\_trimright, 35
- rxv\_spin\_str\_tolower, 45
- rxv\_spin\_str\_toupper, 46
- rxv\_spin\_str\_trim, 46
- rxv\_spin\_str\_trimboth, 36
- rxv\_spin\_str\_trimleft, 36
- rxv\_spin\_str\_trimright, 36
- RXV\_SPIN\_TRIM\_LEFT, 35
- RXV\_SPIN\_TRIM\_RIGHT, 35
- RXV\_SPIN\_DATA\_MTA
  - rxv\_spin\_data\_functions, 35
- RXV\_SPIN\_DATA\_RWS
  - rxv\_spin\_data\_functions, 35
- RXV\_SPIN\_DATA\_SGL
  - rxv\_spin\_data\_functions, 35
- rxv\_spin\_data\_t
  - rxv\_spin\_data\_functions, 36
- rxv\_spin\_database\_functions
  - rxv\_spin\_db\_connect, 55
  - rxv\_spin\_db\_db, 54
  - rxv\_spin\_db\_error, 55
  - rxv\_spin\_db\_escape, 57
  - rxv\_spin\_db\_exec, 56
  - rxv\_spin\_db\_host, 54
  - rxv\_spin\_db\_info, 56
  - RXV\_SPIN\_DB\_INFO\_DB, 54
  - RXV\_SPIN\_DB\_INFO\_ERROR, 54
  - RXV\_SPIN\_DB\_INFO\_HOST, 54
  - RXV\_SPIN\_DB\_INFO\_OPTIONS, 54
  - RXV\_SPIN\_DB\_INFO\_PASS, 54
  - RXV\_SPIN\_DB\_INFO\_PORT, 54
  - RXV\_SPIN\_DB\_INFO\_TTY, 54
  - RXV\_SPIN\_DB\_INFO\_USER, 54
  - rxv\_spin\_db\_options, 55
  - rxv\_spin\_db\_pass, 54
  - rxv\_spin\_db\_port, 55
  - rxv\_spin\_db\_reset, 57
  - rxv\_spin\_db\_result\_t, 55
  - rxv\_spin\_db\_status, 57
  - rxv\_spin\_db\_tty, 55
  - rxv\_spin\_db\_user, 54
- rxv\_spin\_db\_connect
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_db
  - rxv\_spin\_database\_functions, 54
- rxv\_spin\_db\_error
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_escape
  - rxv\_spin\_database\_functions, 57
- rxv\_spin\_db\_exec
  - rxv\_spin\_database\_functions, 56
- rxv\_spin\_db\_host
  - rxv\_spin\_database\_functions, 54
- rxv\_spin\_db\_info
  - rxv\_spin\_database\_functions, 56
- RXV\_SPIN\_DB\_INFO\_DB
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_ERROR
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_HOST
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_OPTIONS
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_PASS
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_PORT
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_TTY
  - rxv\_spin\_database\_functions, 54
- RXV\_SPIN\_DB\_INFO\_USER
  - rxv\_spin\_database\_functions, 54
- rxv\_spin\_db\_options
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_pass
  - rxv\_spin\_database\_functions, 54
- rxv\_spin\_db\_port
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_reset
  - rxv\_spin\_database\_functions, 57
- rxv\_spin\_db\_result, 66
  - data, 67
  - error, 67
  - status, 67
- rxv\_spin\_db\_result\_t
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_status
  - rxv\_spin\_database\_functions, 57
- rxv\_spin\_db\_tty
  - rxv\_spin\_database\_functions, 55
- rxv\_spin\_db\_user
  - rxv\_spin\_database\_functions, 54
- rxv\_spin\_meta
  - rxv\_spin\_data\_functions, 39
- rxv\_spin\_meta\_empty
  - rxv\_spin\_data\_functions, 40
- rxv\_spin\_meta\_hash
  - rxv\_spin\_data\_functions, 40
- rxv\_spin\_meta\_mark
  - rxv\_spin\_data\_functions, 41
- rxv\_spin\_meta\_markeach
  - rxv\_spin\_data\_functions, 41
- rxv\_spin\_meta\_parse
  - rxv\_spin\_data\_functions, 39
- rxv\_spin\_meta\_select

- rxv\_spin\_data\_functions, [41](#)
- rxv\_spin\_meta\_vstr
  - rxv\_spin\_data\_functions, [39](#)
- rxv\_spin\_resize
  - rxv\_spin\_data\_functions, [44](#)
- rxv\_spin\_rows
  - rxv\_spin\_data\_functions, [42](#)
- rxv\_spin\_rows\_hash
  - rxv\_spin\_data\_functions, [42](#)
- rxv\_spin\_rows\_mark
  - rxv\_spin\_data\_functions, [42](#)
- rxv\_spin\_rows\_markeach
  - rxv\_spin\_data\_functions, [43](#)
- rxv\_spin\_rows\_select
  - rxv\_spin\_data\_functions, [43](#)
- rxv\_spin\_service\_function
  - rxv\_spin\_service\_t, [62](#)
- rxv\_spin\_service\_t
  - rxv\_spin\_service\_function, [62](#)
- rxv\_spin\_ses\_del
  - rxv\_spin\_as\_functions, [60](#)
- rxv\_spin\_ses\_get
  - rxv\_spin\_as\_functions, [60](#)
- rxv\_spin\_ses\_idget
  - rxv\_spin\_as\_functions, [61](#)
- rxv\_spin\_ses\_set
  - rxv\_spin\_as\_functions, [60](#)
- rxv\_spin\_ses\_strget
  - rxv\_spin\_as\_functions, [59](#)
- rxv\_spin\_ses\_strset
  - rxv\_spin\_as\_functions, [59](#)
- rxv\_spin\_ses\_valid
  - rxv\_spin\_as\_functions, [61](#)
- rxv\_spin\_single
  - rxv\_spin\_data\_functions, [36](#)
- rxv\_spin\_single\_get
  - rxv\_spin\_data\_functions, [36](#)
- rxv\_spin\_single\_mem
  - rxv\_spin\_data\_functions, [37](#)
- rxv\_spin\_single\_memset
  - rxv\_spin\_data\_functions, [37](#)
- rxv\_spin\_single\_set
  - rxv\_spin\_data\_functions, [37](#)
- rxv\_spin\_single\_tolower
  - rxv\_spin\_data\_functions, [38](#)
- rxv\_spin\_single\_toupper
  - rxv\_spin\_data\_functions, [38](#)
- rxv\_spin\_single\_trim
  - rxv\_spin\_data\_functions, [38](#)
- rxv\_spin\_single\_trimboth
  - rxv\_spin\_data\_functions, [35](#)
- rxv\_spin\_single\_trimleft
  - rxv\_spin\_data\_functions, [35](#)
- rxv\_spin\_single\_trimright
  - rxv\_spin\_data\_functions, [35](#)
- rxv\_spin\_str\_tolower
  - rxv\_spin\_data\_functions, [45](#)
- rxv\_spin\_str\_toupper
  - rxv\_spin\_data\_functions, [46](#)
- rxv\_spin\_str\_trim
  - rxv\_spin\_data\_functions, [46](#)
- rxv\_spin\_str\_trimboth
  - rxv\_spin\_data\_functions, [36](#)
- rxv\_spin\_str\_trimleft
  - rxv\_spin\_data\_functions, [36](#)
- rxv\_spin\_str\_trimright
  - rxv\_spin\_data\_functions, [36](#)
- RXV\_SPIN\_TRIM\_LEFT
  - rxv\_spin\_data\_functions, [35](#)
- RXV\_SPIN\_TRIM\_RIGHT
  - rxv\_spin\_data\_functions, [35](#)
- Service function, [62](#)
- size
  - rxv\_spin\_data, [66](#)
- spin/rxv\_spin.h, [67](#)
- status
  - rxv\_spin\_db\_result, [67](#)
- type
  - rxv\_spin\_conn, [63](#)
  - rxv\_spin\_data, [66](#)