

# **Sample document testing the glossaries-extra package**

Nicola Talbot

May 10, 2017

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>General Entries</b>	<b>4</b>
<b>3</b>	<b>Abbreviations</b>	<b>6</b>
	<b>Glossary</b>	<b>7</b>
	<b>List of Abbreviations</b>	<b>8</b>
	<b>Index</b>	<b>9</b>

# 1 Introduction

This is a sample document testing the `glossaries-extra` package.

## 2 General Entries

Sample entries: **duck** and **parrot**.

Test makeindex's special characters: @ (actual) " (escape) ! (level) and | (encap).

Use some entries again: **duck** and **parrot**.

### 3 Abbreviations

First use: **hypertext markup language (HTML)** and **extensible markup language (XML)**.

Next use: **HTML** and **XML**.

# Glossary

! makeindex's default for the "level value" [4](#)

" makeindex's default for the "escape value" [4](#)

@ makeindex's default for the "actual value" [4](#)

| makeindex's default for the "encap value" [4](#)

**Duck** a waterbird with webbed feet [4, 5](#)

**Parrot** mainly tropical bird with bright plumage [4, 5](#)

# List of Abbreviations

**HTML** hypertext markup language **6**

**XML** extensible markup language **6**

# Index

Page numbers in bold indicate an entry in the glossary or list of abbreviations.

!, **4, 7**

", **4, 7**

@, **4, 7**

|, **4, 7**

duck, **4, 5, 7**

HTML, **6, 8**

parrot, **4, 5, 7**

sample, **3**

XML, **6, 8**